

<b>Sample Name</b>	PANTOPRAZOLE FOR INJECTION-IP. 40mg.	<b>Mfg Lic No</b>	[REDACTED]
<b>Submitted By</b>	Quality Control Advisor. (MMDSL) Shillong.	<b>Report No</b>	[REDACTED]
<b>Address</b>	DHS LaitumkhranhNM, EastKhasi Hills Meghalaya.	<b>Receipt Date</b>	09-Oct-24
<b>Mfg By</b>	N.S.	<b>Report Date</b>	28-Oct-24
<b>Supplied By</b>	N.S.	<b>Ref No</b>	N.S.
<b>Batch No</b>	<b>Mfg. Date</b>	<b>Exp Date</b>	<b>Batch Size</b>
MMDSL/QC-0507	08/2024	07/2027	N.S.
			<b>Sample Qty</b>
			30 VIALS.

### TEST RESULTS

Date / Period of Performance of test 09/10/2024 to 28/10/2024.  
Reference to protocol :- IP-2022. Addendum 2024

Description :- White powder filled in amber colour glass vials.

Identification A (by IR) :- Complies.  
B (by HPLC) :- Complies.  
C :- Complies.

Average fill weight :- 127.0mg.  
Uniformity of fill weight :- Within limit.

		Limit	
		Lower	Upper
pH(of 0.4% soln.)	:- 9.78	9.0	11.5
Particulate matter (after reconstitution)	:- Complies.		
Appearance of solution	:- Complies.		
Clarity of solution (after reconstitution)	:- Complies.		
Related substances (by HPLC)	:- Complies.		

Sterility :- Complies with the test for sterility.

Assay (by HPLC) :- Each vial contains:-

Content of	Obtained	Claim	LIMIT		Method
			Lower	Upper	
Sterile Pantoprazole Sodium eqv. to anhydrous Pantoprazole	:- 39.86mg	40.0mg	37.20mg	42.00mg	IP.

NOTE:- SAMPLE CONSUMED IN TESTING.

Report: In Opinion of the undersigned, The sample referred to above is of Standard Quality as defined in the Act and the rules made there under for the reason given: Complies as per IP.