Sample Name BENZOYL PEROXIDE GEL-IP. 2.5%

Submitted By Quality Control Advisor. (MMDSL) Shillong.

DHS LaitumkhrahNHM, EastKhasi Hills Meghalaya. Receipt Date 09-Oct-24

Mfg By N.S.

Supplied By N.S.

Batch No

MMDSL/QC-0508

Mfg. Date 06/2024

Exp Date 05/2026

Batch Size

Ref No N.S.

Mfg Lic No

Report No

N.S. Sample Qty 12 TUBES.

Report Date 16-Oct-24

TEST RESULTS

Date / Period of Performance of test 09/10/2024 to 16/10/2024.

Reference to protocol :- I.P-2022.

Description

:- White soft mass filled in collapsible tube.

Identification (by TLC)

:- Complies.

Nominal weight

:- 20gm.

Average net weight

:- 20.2778gm.

Uniformity of weight

:- Within limit.

Related Substances(by HPLC) :- Complies.

Assay

Obtained

Claim

Limit Lower

Upper

Method

Content of Hydrous Benzoyl Peroxide eq. to

Anhydrous Benzoyl Peroxide :- 2.49%w/w 2.5%w/w 2.25%w/w

2.75%w/w

NOTE: - SAMPLE CONSUMED IN TESTING.

Report: In Opinion of the undersigned, The sample refe as defined in the Act and the rules made there unde per IP.