



Edward Food Research & Analysis Centre Limited



QA.15.0.0.3

FORM 39

[RULE 150 - E(F)] APPROVAL NUMBER: T-22/DC

TEST REPORT

ISSUED TO : Meghalayan Medical Drugs And Services Limited New colony shillong, DHS, Iaitumkhrah, Office of the mission director, NHM, Shillong, East Khasi Hills Meghalaya, 793003 Shillong - 793003 MFG. LICENCE No :	REPORT NO : EFRAC/2023/DRG/RG/03249 ISSUE DATE : 24/10/2023 CUSTOMER REFERENCE : TRF DATE : 28/09/2023 PAGE NO : 1 of 2
---	---

SAMPLE DETAILS

SAMPLE REGISTRATION DETAILS	
Sample Name : Ciprofloxacin 0.3% Eye Drop	Sample Quantity Received : 150.00 ml
	Sample Registration Date : 09/10/2023
	Sample Submitted/Drawn by : Client
	Batch Size : N/A
Sample Receipt Date : 28/09/2023	Date of Expiry : May-2025
Registration No : EFRAC/2023/DRG/RG/03249	
Name of Manufacturer : N/A	
Batch No. : MMDSL-QC-0010	
Date of Mfg. : Jun-2023	
SAMPLE ANALYSIS DETAILS	
Analysis Starting Date : 10/10/2023	Analysis Completion Date : 24/10/2023

TEST RESULT

SL No.	TEST PARAMETER	TESTING / REF. PROCEDURE	LABEL CLAIM	UOM	ACCEPTANCE LIMIT	RESULTS
1	Sterility	Indian Pharmacopoeia 2022	-	—	Should be Sterile	Sterile, complies
2	Description	Indian Pharmacopoeia 2022	-	—	A clear colourless liquid.	A clear colourless liquid.
3	Identification A	Indian Pharmacopoeia 2022	-	—	In the assay, the principal peak in the chromatogram obtained with the test solution should correspond to the peak in the chromatogram obtained with the reference solution a.	In the assay, the principal peak in the chromatogram obtained with the test solution corresponds to the peak in the chromatogram obtained with the reference solution a.





Edward Food Research & Analysis Centre Limited



QA.15.0.0.3

FORM 39

[RULE 150 - E(F)] APPROVAL NUMBER: T-22/DC

TEST REPORT

ISSUED TO :	REPORT NO	: EFRAC/2023/DRG/RG/03249
Meghalayan Medical Drugs And Services Limited	ISSUE DATE	: 24/10/2023
New colony shillong, DHS, Iaitumkhrah, Office of the mission	CUSTOMER REFERENCE	: TRF
director, NHM, Shillong, East Khasi Hills Meghalaya, 793003	DATE	: 28/09/2023
Shillong - 793003	PAGE NO	: 2 of 2
MFG. LICENCE No :		

TEST RESULT

SL No.	TEST PARAMETER	TESTING / REF. PROCEDURE	LABEL CLAIM	UOM	ACCEPTANCE LIMIT	RESULTS
4	Identification B	Indian Pharmacopoeia 2022	-	—	A curdy white precipitate should be formed which is insoluble in nitric acid but should be soluble after being well washed with water in dilute ammonia solution.	A curdy white precipitate is formed which is insoluble in nitric acid but soluble after being well washed with water in dilute ammonia solution.
5	pH	Indian Pharmacopoeia 2022	-	—	3.5 - 5.5	4.6
6	Assay	Indian Pharmacopoeia 2022	-	% of L.C.	2.70 - 3.30 mg/ml , i.e. 90.0 - 110.0	3mg / ml , i.e. 100.0

In the opinion of the undersigned, the Sample referred to above is of Standard Quality / ~~is not of Standard Quality~~ as defined in the Act or the Rules made there under for the reasons given below:

Date : 24/10/2023

UOM : Unit of Measurement

REMARKS : Opinion on Quality is drawn against the result obtained for tested parameters only.

Note : *This Report is valid only for use in Indian (Domestic) Market & is Not valid for use in any International Market.*

-END OF THE TEST REPORT-



Research & Analysis Centre: Subhas Nagar PO: Nilgunj Bazar Barasat Kolkata 700 121
Phone +91 33 7112 2800 Fax: +91 33 7112 2801 Email: efraclab@efrac.org
www.efrac.org

Authorized Signatory
Ashok Singh Kushawaha
Senior Chemist