## (THE DRUGS & COSMETICS ACT 1940 & RULES THEREUNDER)

Cefixime, Azithromycin & Lactic Acid Bacillus Sample Name Submitted By Quality Control Advisor. (MMDSL) Shillong. DHS LaitumkhrahNHM, EastKhasi Hills Meghalaya. Address

Mfg By Supplied By N.S.

Batch No MMDSL/QC-0123

Mfg. Date 08/2023

Exp Date 07/2025

Batch Size N.S.

Mfg Lic No

Report Date

Report No

Ref No

N.S. Sample Qty 60 TABS.

02-Apr-24

Receipt Date 19-Mar-24

## **RESULT OF ANALYSIS**

Date / Period of Performance of test 19/03/2024 to 02/04/2024.

Reference to protocol

:- In house specification.

Description

:- Off white oval shaped biconvex film coated tablets.

Identification (by HPLC)

:- Positive for Cefixime, Azithromycin & Lactic Acid

Bacillus.

Average weight

:- 764.0mg.

Uniformity of weight

:- Within limit.

Disintegration time

:- 14 to 15 minutes.

Limit: - NMT 30minutes.

Assay (by HPLC)

:- Each film coated tablet contains:-

Limit

Content of

Obtd./Avg.wt.

Claim

Lower

Upper

Cefixime trihydrate

eq. to anhydrous Cefixime

:- 198.62mg

200.0mg

180.0mg

220.0mg

HPLC.

Method

Azithromycin Dihydrate

eq. to anhydrous Azithromycin: - 248.78mg

250.0mg

225.0mg

275.0mg

HPLC.

Lactic Acid Bacillus

:- 68.6mill Spores

60mill. Spores

54mill. Spores

Plate

Report: In Opinion of the undersigned, The sample referred to as defined in the Act and the rules made there under for t respect above test only.

NOTE: 1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.

2. Sample not drawn by us. Total liability of this laboratory limited to the invoice amount.

3. This report is not be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.