

Sample Name	SODIUM BICARBONATE INJECTION-IP. 7.5%w/v	Mfg Lic No	[REDACTED]	
Submitted By	Quality Control Advisor. (MMDSL) Shillong.	Report No	[REDACTED]	
Address	DHS LaitumkhranhNM, EastKhasi Hills Meghalaya.	Receipt Date	21-Aug-24	
Mfg By	N.S.	Report Date	09-Sep-24	
Supplied By	N.S.	Ref No	N.S.	
Batch No	Mfg. Date	Exp Date	Batch Size	Sample Qty
MMDSL/QC-0422	02/2024	01/2027	N.S.	30 AMPOULES.

TEST RESULTS

Date / Period of Performance of test 21/08/2024 to 09/09/2024.

Reference to protocol	:- I.P-2022.				
Description	:- Clear colourless solution filled in colourless glass ampoule.				
Identification (A,B)	:- Complies.				
			Limit		
			Lower	Upper	
pH	:- 8.30		7.0	8.5	
Nominal volume	:- 25ml				
Extractable volume	:- 26ml	NLT 25ml.			
Sterility	:- Complies with the test for sterility.				
Particulate matter	:- Complies.				
Bacterial endotoxins	:- Less than 1.7EU/ml	NMT- 1.7EU/ml			
Assay	:-				
			LIMIT		
Contents of	Obtained	Claim	Lower	Upper	Method
Sodium Bicarbonate	:- 7.442%w/v	7.5%w/v	7.05%w/v	7.95%w/v	IP.

NOTE:- SAMPLE CONSUMED IN TESTING.

Report: In Opinion of the undersigned, The sample referred to above is of Standard Quality as defined in the Act and the rules made there under for the reason given: Complies as per IP.

