

Sample Name	Neomycin Sulphate & Bacitracin Zinc Ointment-	Mfg Lic No	[REDACTED]	
Submitted By	Quality Control Advisor. (MMDSL) Shillong.	Report No	[REDACTED]	
Address	DHS LaitumkhrahNHM, EastKhasi Hills Meghalaya.	Receipt Date	19-Mar-24	
Mfg By	N.S.	Report Date	21-Mar-24	
Supplied By	N.S.	Ref No	N.S.	
Batch No	Mfg. Date	Exp Date	Batch Size	Sample Qty
MMDSL/QC-0102	12/2023	11/2025	N.S.	12 TUBES.

RESULT OF ANALYSIS

Date / Period of Performance of test 19/03/2024 to 21/03/2024.

Reference to protocol :- USP-2022.

Description :- White soft mass filled in a collapsible tube.

Identification (by TLC) :- Complies.

Nominal fill :- 15.0gm.

Minimum fill :- 15.1166 Limit
NLT- 15.0gm.

Water (by KF) :- 0.241%w/w Limit
Lower Upper
- 0.5%w/w

Assay :- Each gram contains:-

Content of	Obtained	Claim	Lower	Upper	Limit	Method
Bacitracin Zinc eq. to Bacitracin	:- 510.69Units	500.0Units	450.0Units	650.0Units		USP.
Neomycin Sulphate eq. to Neomycin	:- 5.12mg	5.0mg.	4.5mg.	6.5mg.		USP.

NOTE:- SAMPLE CONSUMED IN TESTING.

Report: In Opinion of the undersigned, The sample referred to above is of Standard Quality as defined in the Act and the rules made there under for the reason given: Complies as per USP. with respect above test only.

- NOTE:**
1. The result listed refer only to the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
 2. Sample not drawn by us. Total liability of this laboratory limited to the invoice amount.
 3. This report is not be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.