



Edward Food Research & Analysis Centre Limited



QA.15.0.0.3

FORM 39

[RULE 150 - E(F)] APPROVAL NUMBER: T-22/DC

TEST REPORT


ISSUED TO : Meghalayan Medical Drugs And Services Limited New colony shillong, DHS, Iaitumkhrah, Office of the mission director, NHM, Shillong, East Khasi Hills Meghalaya, 793003 Shillong - 793003 MFG. LICENCE No :	REPORT NO : EFRAC/2023/DRG/RG/03246 ISSUE DATE : 16/10/2023 CUSTOMER REFERENCE : Mail DATE : 28/09/2023 PAGE NO : 1 of 2
---	--

SAMPLE DETAILS

SAMPLE REGISTRATION DETAILS	
Sample Name : Dry Syp Amoxycillin 125mg	Sample Quantity Received : 90.00 ml
	Sample Registration Date : 09/10/2023
	Sample Submitted/Drawn by : Client
	Batch Size : N/A
	Date of Expiry : Jun-2025
Sample Receipt Date : 28/09/2023	
Registration No : EFRAC/2023/DRG/RG/03246	
Name of Manufacturer : N/A	
Batch No. : MMDSL/QC-0008	
Date of Mfg. : Jul-2023	
SAMPLE ANALYSIS DETAILS	
Analysis Starting Date : 12/10/2023	Analysis Completion Date : 16/10/2023

TEST RESULT

SL No.	TEST PARAMETER	TESTING / REF. PROCEDURE	LABEL CLAIM	UOM	ACCEPTANCE LIMIT	RESULTS
1	pH	Indian Pharmacopoeia 2022	-	—	5.0 to 7.5	6.4
2	Refraction index	Indian Pharmacopoeia 2022	-	—	-	1.36727





Edward Food Research & Analysis Centre Limited



QA.15.0.0.3

FORM 39

[RULE 150 - E(F)] APPROVAL NUMBER: T-22/DC

TEST REPORT

ISSUED TO : Meghalayan Medical Drugs And Services Limited New colony shillong, DHS, Iaitumkhrah, Office of the mission director, NHM, Shillong, East Khasi Hills Meghalaya, 793003 Shillong - 793003 MFG. LICENCE No :	REPORT NO : EFRAC/2023/DRG/RG/03246 ISSUE DATE : 16/10/2023 CUSTOMER REFERENCE : Mail DATE : 28/09/2023 PAGE NO : 2 of 2
---	--

TEST RESULT

SL No.	TEST PARAMETER	TESTING / REF. PROCEDURE	LABEL CLAIM	UOM	ACCEPTANCE LIMIT	RESULTS
3	Identification	Indian Pharmacopoeia 2022	-	-	In the assay, the principal peak in the chromatogram obtained with the test solution should correspond to the peak in the chromatogram obtained with the reference standard.	In the assay, the principal peak in the chromatogram obtained with the test solution corresponds to the peak in the chromatogram obtained with the reference standard.
4	Assay of active ingredient	Indian Pharmacopoeia 2022	125mg/5ml	% of L.C.	112.5 - 150.0 mg/5ml i.e. 90.0 - 120.0	126.21 mg/5 ml i.e. 100.96
5	Weight/ml	Indian Pharmacopoeia 2022	-	gm/ml	-	1.0695
6	Density	Indian Pharmacopoeia 2022	-	gm/ml	-	1.0695

In the opinion of the undersigned, the Sample referred to above is of Standard Quality / ~~is not of Standard Quality~~ as defined in the Act or the Rules made there under for the reasons given below:

Date : 16/10/2023
UOM : Unit of Measurement
REMARKS : The sample is tested as per test procedure shared by client and Opinion on Quality is drawn against the results obtained for tested parameters only

Note : *This Report is valid only for use in Indian (Domestic) Market & is Not valid for use in any International Market.*

-END OF THE TEST REPORT-



Research & Analysis Centre: Subhas Nagar PO: Nilgunj Bazar Barasat Kolkata 700 121
Phone +91 33 7112 2800 Fax: +91 33 7112 2801 Email: efraclab@efrac.org
www.efrac.org

Authorized Signatory
Ashok Singh Kushawaha
Senior Chemist