



Edward Food Research & Analysis Centre Limited

QA.15.0.0.3

FORM 39 [RULE 150 - E(F)] APPROVAL NUMBER: T-22/DC TEST REPORT

ISSUED TO: REPORT NO : EFRAC/2023/DRG/RG/03247

Meghalayan Medical Drugs And Services Limited ISSUE DATE : 16/10/2023
New colony shillong, DHS, laitumkhrah, Office of the mission CUSTOMER REFERENCE : Mail

director,NHM, Shillong, East Khasi Hills Meghalaya, 793003

DATE

COSTOMER REFERENCE

: Mail

Shillong 793003 PAGE NO : 1 of 2

SAMPLE DETAILS

SAMPLE REGISTRATION DETAILS

Sample Registration Date : 09/10/2023 Sample Submitted/Drawn by : Client Batch Size : N/A

Batten Size : N/A

Date of Expiry : Jun-2026

Sample Receipt Date : 28/09/2023

Registration No : EFRAC/2023/DRG/RG/03247

Name of Manufacturer : N/A

Batch No. : MMDSL/QC-0009

Date of Mfg. : Jul-2023

SAMPLE ANALYSIS DETAILS

Analysis Starting Date : 12/10/2023 Analysis Completion Date : 16/10/2023

TEST RESULT

SL No.	TEST PARAMETER	TESTING / REF. PROCEDURE	LABEL CLAIM	UOM	ACCEPTANCE LIMIT	RESULTS
1	рН	Indian Pharmacopoeia 2022	-	_	3.4 - 4.5	4.3
2	Refraction index	Indian Pharmacopoeia 2022	-	_	-	1.34927
3	Identification	Indian Pharmacopoeia 2022			Orange-red colour should be produced in chloroform layer.	Orange -red colour produced in chloroform layer







Edward Food Research & Analysis Centre Limited

QA.15.0.0.3

FORM 39 [RULE 150 - E(F)] APPROVAL NUMBER: T-22/DC TEST REPORT

ISSUED TO: REPORT NO : EFRAC/2023/DRG/RG/03247

Meghalayan Medical Drugs And Services Limited ISSUE DATE : 16/10/2023

director,NHM, Shillong, East Khasi Hills Meghalaya, 793003 DATE : 28/09/2023 Shillong, 793003 PAGE NO : 2 of 2

TEST RESULT

SL No.	TEST PARAMETER	TESTING / REF. PROCEDURE	LABEL CLAIM	UOM	ACCEPTANCE LIMIT	RESULTS
4	Assay of active ingredient	Indian Pharmacopoeia 2022	2 mg / 5 ml	% of L.C.	1.80 - 2.20 mg/5 ml i.e. 90.0 - 110.0	1.94 mg/5 ml i.e. 97.02
5	Weight/ml	Indian Pharmacopoeia 2022	-	g/mL	-	1.03476
6	Density	Indian Pharmacopoeia 2022	-	g/mL	-	1.03476

In the opinion of the undersigned, the Sample referred to above <u>is of Standard Quality</u> / <u>is not of Standard Quality</u> as defined in the Act or the Rules madethere under for the reasons given below:

Date : 16/10/2023

UOM : Unit of Measurement

REMARKS : The sample is tested as per test procedure shared by client and Opinion on Quality is drawn against the results obtained

for tested parameters only

Note : This Report is valid only for use in Indian (Domestic) Market & is Not valid for use in any International Market.

-END OF THE TEST REPORT-

