



No. MMDSL/Consumable/11/2024/(2)

Dated: 20/12/2024

NOTICE INVITING TENDER

Sealed Tenders in a Two Bid System affix a court fee stamp of Rs. 25/- is invited by the Managing Director, Meghalayan Medical Drugs & Services Limited, from the registered and authorised Distributor "for Supply of Surgical item." The tender process in a two-bid system involves the submission of two separate bids: a technical bid and a financial bid. The technical bid is evaluated first, and only those bidders who meet the technical specifications will qualify for their financial bid opening.

This system ensures that the bidders who are awarded the contract have the necessary technical expertise and capabilities to complete the project successfully. The technical bid typically includes details such as product specifications, quality control measures, timelines for delivery etc. The financial bid, on the other hand, includes the cost of the medical items, including any taxes and duties. The two-bid system is widely used in government procurement processes, as it ensures transparency and fairness in the selection of vendors. Overall, the two-bid system is an effective way to ensure that the best vendors are selected for a project, based on both technical and financial criteria.

Technical & Financial Evaluation of the Tender Documents would be evaluated by a Tender Committee duly constituted by the Managing Director, MMDSL, Meghalaya.

1	Name of Items	"Tender for Supply of Surgical items"
2	Cost of Tender Documents	Rs.10,000/- in demand draft in favor of Meghalayan Medical Drugs and Services Limited, payable at Shillong.
3	Earnest Money Deposit	EMD Amount Rs. 3,00,000/-
4	Tender Documents	Can be obtained from the MMDSL office, Shillong or downloaded from https://mmdsl.in/
5	Date for downloading/obtaining the Tender Documents	21 st /Dec/2024
6	Last date and time for submission of Tender Document	28 th /Jan/2025 up to 11:00am
7	Tender opening date	Venue: O/O MMDSL, Laitumkhrach 28th/Jan/2025 at 1:00pm

A copy of the tender documents may be obtained from the Office of Managing Director, MMDSL or downloaded from our website <https://mmdsl.in/> and the EMD mentioned above may be deposited in the form of 'demand draft' / 'pay order' / Receipt in favor of Meghalayan Medical Drugs and Services Limited, payable at Shillong. Please write the name of company/firm on the reverse side of the 'Demand Draft' / 'Pay order' / Receipt. Please note that the downloaded tender documents are subject to verification with the original documents as given on the Website.

MMDSL, reserves the right to reject any or all the tenders without assigning any reason.

Note: Any changes or any further notification in respect to the above Tender documents shall be made available only at the above mentioned website. Hence respective bidders are advised to visit the website regularly for the above purpose.

Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



MEGHALAYAN MEDICAL DRUGS & SERVICES LIMITED



Government of Meghalaya

Department of Health & Family Welfare,
DHS Complex, New Colony, Laitumkrah,
Shillong - 793003,
East Khasi Hills,
Meghalaya.
+91-9863033404 / 9863048955
meghmdsl@gmail.com

Shri Ramkumar S
Managing Director

Approved By Shri Ramkumar S (Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



INDEX

Approved By Shri Ramkumar S.(Managing Director) on 20/12/2024 10 15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

Sl.no.	Items
1	Tender Guidelines
2	Definitions
3	Price Schedule
4	Terms of Delivery
5	Eligibility Criteria
6	Tender Submission
7	Deleted
8	Technical Bid Cover
9	Financial Bid Cover
10	Instructions
11	Bid Opening
12	Validity of Tender
13	Venue of Tender opening
14	EMD Amount
15	Performance Security Bond
16	Price
17	Technical Evaluation
18	Quality Standards
19	Quality Testing
20	Sample evaluations
21	Other Conditions
22	Shelf Life
23	Quantity division
24	Authority for signing Tender Documents
25	Responsibility for performance of contract
26	Quality inspection
27	Supplier responsibility
28	Responsibility for proper packing, wherever required
29	Delivery
30	Failure and Termination
31	Penalty & Liquidity damage
32	Risk Purchase
33	Addendum & corrigendum
34	Ethics
35	Quantity of Delivery items
36	Taxes, Duties & Levies
37	Guarantee
38	Indemnity
39	Warranties and Obligations
40	Compliance of the Laws of the land
41	Documentation requirements
42	Products withdrawal
43	Product Allocation and stocking
44	Trademarks
45	Termination
46	Infringements
47	Governing Law; Dispute Resolution
48	Notice
49	Procuring Entity's Right To Vary Quantity
50	Miscellaneous
51	Force Majeure
52	Dispute Redressal committee
53	Declaration by the Tenderer
54	Waiver



MEGHALAYAN MEDICAL DRUGS & SERVICES LIMITED



Department of Health & Family Welfare,
DHS Complex, Laitumkrah, New Colony,
Shillong - 793003,
East Khasi Hills,
Meghalaya - 793003
+91-9863033404 / 9863048955
meghmdsl@gmail.com

Approved By Shri Ramkumar S.(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

55	Payment Terms
56	FALL CLAUSE
57	Blacklisted
58	Conflict of interest
59	SAVING CLAUSE
60	General Terms and condition
61	Arbitration
62	Annexure I – Specifications
63	Annexure II – Technical Bid
64	Annexure III – Financial Bid
65	Annexure IV – Letter of Undertaking
66	Annexure V – Bid Security Form
67	Annexure VI – Performance Security Bond
68	Annexure VII – Annual Turnover Statement
69	Analytical Report Regarding Quality
70	Annexure VIII – Checklist

Tender Guidelines



1. Definitions

- P.O – Purchase Order
Contract – Terms informed in the PO
EMD - Earnest Money Deposit
DD – Demand Draft
PBG – Performance Bank Guarantee
BC – Banker's Cheque
Purchaser – MMDSL, Meghalaya
Tenderer – Bidders who have submitted Valid Tender Documents
Supplier = Successful Bidder (s), to whom, the tender quantity is distributed to
Sample – One sample manufactured /Supplied by the bidder/Catalogue as applicable
Bidder – The authorised distributor
Distributor- The authorised firm with valid authorisation letter from the Manufacturer having experienced in similar works.

The Prices quoted and quantities offered for supply in the tender shall remain open for acceptance – 200 days from the date of bid opening.

2. PRICE SCHEDULE:

- a. Price shall be quoted as mentioned in Annexure-III. Price will remain firm and fixed for all supply orders placed during the period of Rate contract i.e. of minimum 3 years which is extendable subject to supply satisfactory, same terms and conditions and same approved rates.

3. TERMS OF DELIVERY:

- a. Delivery for all orders shall be required to be made to the respective Zones or Warehouses i.e. 2(two) Zones at Garo Hills region and 3(three) Zones at Khasi Hill region or in any other locations within the state capital as instructed by the authority from time to time and shall be inclusive in the rate quoted for by the bidder. If any delivery asked to be made outside the state capital may be charged additional, to the specified rate keeping in mind the location and situation of delivery.
- b. The Tenderer shall be responsible to arrange safe delivery of goods, by rail/road at the delivery address given above. The rates quoted by the tenderer should include all costs for free delivery to consignee's site.

4. ELIGIBILITY CRITERIA:

- a) Bidder or the authorised distributor should have minimum 3 years experience for supply of Surgical or similar goods to Central/State Govt. Dept/ PSU or Private Limited Company, failing which bidders will be disqualified. The experience certificate/customer feedback or supply order as indicated above should be in the name of the firm (Bidder and the authorised distributor) participating in the tender.
- b) Distributor's Authorization Letters (Tender Specific), mentioning the above Tender No. from the Manufacturer.
- c) Annexure I, II, III, IV, V, VI & VII should be duly filled and complete in all respects.
- d) Submission of EMD amount Rs.3,00,000/- in the form of Demand Draft /BG in favor "Managing Director, MMDSL, Meghalaya, Shillong. EMD should be valid for a period of 1 year from date of tender opening as per Annexure –V
- e) NIL.
- f) Valid Manufacturing License from the Licensing authority.
- g) Both bidder and the Manufacturer to submit a Non-conviction Certificate issued by the concern Authority, it should be valid and recent.
- h) Manufacturer should furnish a valid import license from the licensing authority, If Surgical item is imported,
- i) Bid should not be submitted by the concern/company who stands blacklisted/banned/debarred either by Bid inviting Authority or Govt. of Meghalaya or its departments on any ground or by any Govt. or Non-Govt entity. The Bid should not be submitted for those products for which the concern/company stands blacklisted/banned/debarred by any State/Central Govt. or any agencies on the ground of conviction by court of law or the products being found spurious or adulterated. Further, quoted Surgical which was failed in in quality test by any State Government/Central Government/ its Drug procurement agencies during last two years.

Approved By Shri Ramikumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



Approved By Shri Ramikumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

- j) If any tenderer has been blacklisted/debarred/de-registered/banned due to quality failure, such tenderer or their Partner/Director/Owner shall not be permitted to participate in the tender.
- k) If any product/products of a company/firm have been declared as not of standard quality during last 3 years anywhere, such concern/company/firm shall not be eligible to participate in Bid for such product/products.
- l) The concern/firm/company whose product has been declared as of spurious or adulterated quality and any criminal case is filed and pending in any court shall not be eligible to participate for that particular product. Similarly convicted firm/company shall also not be eligible to participate in the Bid.
- m) Bidders are allowed the option to quote for one item or more items.
- n) Bidder should furnish at least 3 years market standing of the manufacturer for the items quoted in the bid. Market Standing Certificate issued by the Licensing Authority / competent authorities as a Manufacturer for the product for last 3 years should be enclosed with list of items.
- o) Non-conviction Certificate from both bidder and the manufacturer issued by the concern authority. It should be recent.
- p) In case, if renewal application for Manufacturing License has been filed or joint inspection has been carried out by the concerned Licensing Authority and for the renewal of GMP certification copy of the same duly receipted by drug authorities must be furnish along with the validity certificate from State Licensing Authority (SLA). It shall be issued before the last date of submission of tender by the Licensing Authority.
- q) Bidders are advised to quote only for such surgical items which meets the specification as mentioned in Annexure I. Do not quote if it differs with regard to any parameter.
- r) Third party manufacturing & loan licensees are not eligible to participate in the tender.
- s) **Bidder's Financial stability and withdrawal limit:**
 - (i) The financial stability and bank solvency certificate provide assurance to the contracting party that the bidder has the necessary resources to fulfill their contractual obligations. In addition to the financial stability and bank solvency certificate, bidders are also required to submit a detailed financial statement for the past three years. This statement should include information on the bidder's revenue, expenses, and profits, as well as any outstanding debts or liabilities.
 - (ii) By analyzing this information, the contracting party can assess the bidder's financial health and determine if they are capable of meeting their obligations. Furthermore, the minimum financial withdrawal limit ensures that the bidder has access to sufficient funds to carry out the supply without encountering financial difficulties. This requirement not only protects the interests of the contracting party but also makes sure that the supplier's supply of medications is never interrupted.
 - (iii) Therefore, all bidders must provide a detailed financial stability statement, i.e. (revenue, expenses, and profits, as well as any outstanding debts or liabilities) certified by the Chartered Accountant and also must provide the Bank Solvency certificate issued by the bank authority for a minimum amount of 50lakh during the last three financial years, including a minimum 50lakh financial withdrawal limit at any given time; failing to comply will result in disqualification.

In addition to the above, the bidder should furnish the following:-

- i. Bidder and the Manufacturer Valid company/Firm registration certificate
 - ii. Bidder/Authorised distributor valid Trade License Certificate from KHADC/JHADC/GHADC (If a Non Tribal becomes a successful bidder he/she has to furnish Trading License from the Concerned authority before any work involving Trade is issued).
 - iii. Bidder and the Manufacturer Valid GST Registration certificate
 - iv. Bidder and the Manufacturer, Last GST return filing.
 - v. Bidder and the Manufacturer PAN/TIN Card of the firm.
- v. Manufacturer should have an Average Turnover of minimum 10crore for the last 3 Accounting years (C.A Audited statement such as copies of the Trading account, Profit and Loss and Balance Sheet Account for last three years) i.e. 2021-2022, 2022-23 & 2023-24.
 - w. Both bidder and the Manufacturer to submit, Affidavit on Non – Judicial Stamp paper attested by Public Notary that there is no vigilance / CBI case or arbitration cases pending.
 - x. The tenders received after the due date and time specified or unsealed or incomplete, or by facsimile or email will be summarily rejected.
 - y. The purchaser will notify the successful bidder in writing that its Bid has been accepted and issue purchase order (PO) to the successful bidder post signing of contract.
 - z. Within 7 days of receipt of such intimation, the successful bidder shall give its acceptance to the Managing Director, MMDSL, Govt of Meghalaya.



- aa. The Managing Director MMDSL, Govt of Meghalaya reserves the right to reject/cancel any or all other including the lowest bidder without assigning any reason thereof.
- bb. On received of Purchase Order the selected bidder will have to be delivered within a delivery period specified in the purchase order.

5. Submission of the Bid:

The Bid should be in sealed cover super- scribed “**Tender for supply of Surgical items**” and clearly mention the tender reference number and date. The super scribed sealed cover shall consist of two sealed cover inside “(i) **Technical Bid** (ii) **Financial Bid**”

i) Super scribed Sealed Cover A – Technical bid:

- a) Eligibility criteria in additions to other qualification criteria including Annexure-II

ii). Super Scribed Sealed Cover B for – Financial Bid/Price Bid

Annexure Wise Price Bid as per format Annexure - III

Instructions:

- ✓ Please mention clearly on each sealed cover the annexure, meant for.
- ✓ The main cover should be addressed to **Managing Director, MMDSL Directorate of Health Services, Red Hill, Upper New Colony Health Complex, Laitumkhrach, Shillong – 3, Meghalaya**
- ✓ The Bid should be dropped in the box provided for this purpose in the office of **Managing Director, MMDSL, Laitumkhrach, Shillong.**
- ✓ All documents submitted should be properly page numbered, signed and should have appropriate and relevant contents.
- ✓ Index sheet of each document should be submitted for ease & fast documentations verifications.
- ✓ Bid documents that do not provide complete information and /or that are submitted after the above specified date or time shall be rejected.
- ✓ Bidder should quote their prices in the schedule format supplied in this tender (Annexure III) form giving the breakup of prices. Tenders received in any other form will not be entertained.
- ✓ Bidder should sign the certificate provided in the tender form Annexure – IV “That they have read and understood, all the Terms and Conditions stipulated for in the Tender, and are willing to abide by these tender terms and conditions “ , before submitting the tender documents. Tenders submitted without the Signed declaration certificate will be considered incomplete and will not be considered.

6. Bids will be open in two stages.

- (I) Envelope A : Technical Bid including Annexure-II
- (II) Envelope B : Financial/Price Bid (Annexure – III)

7. If the envelopes are not sealed and marked as required above, the bid will be subjected to rejection at the tender opening stage itself.

8. The bid shall be opened in two stages. At the time of opening only first cover (Envelope A) containing the Technical bid shall be opened at the first stage and the second cover (Envelope B) financial bid shall be opened only after qualifying the Technical Bid. The date, time and venue for third stage opening will be intimated separately by the Tender Inviting Authority (TIA) only to selected/qualified bidders.

9. Validity of the Tender:

The validity of the tender shall remain valid for 200 days from the date of opening the tender.

10. Venue of Tender Opening:

The “**Tender for supply of Surgical items**” will be opened in the presence of the bidders or their authorized representatives and Tender Committee Members at the venue mentioned hereunder.

Venue of Tender Opening:

**Office of Managing Director, MMDSL,
Laitumkhrach, Shillong-793003, Meghalaya**

Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



11. EMD Amount:

Tenderer needs to deposit the EMD Amount of Rs.3,00,000 /- in the Form of DD/FDR/Bank Guarantee in favor of "Meghalayan Medical Drugs & Services Limited (MMDSL)", payable at Shillong, Meghalaya and a copy of EMD in sealed envelope should be submitted along with Technical Envelope.

- i) Tenderer may be exempted from the payment of EMD, if valid **registration certificate** from MSME is furnish for the product for which bidder has submitted.
- ii) PSUs are exempted from the submission of Earnest Money Deposit (EMD).
- iii) The tender submitted without Earnest Money Deposit (EMD) will be summarily rejected.
- iv) The EMD shall be returned back to unsuccessful bidders within a period of eight (8) weeks from the date of execution of the agreement subject to the receipt of a written application addressed to the Managing Director, MMDSL, Meghalaya. The return of EMD shall not carry any Interest Component.
- v) The E.M.D. / Security Deposit shall liable to be forfeited in the following circumstances when the,
 - a) Tender is rejected due to failure to furnish the requisite documents in the proper format or giving any misleading statement or submission of false affidavit or fabricated docs.
 - b) Party fails to sign the agreement for entering into contract in case the offer is accepted, due to any reason whatsoever.
 - c) Party fails to supply the goods / items as per the orders / Rate Contract (R.C) placed by MMDSL, Meghalaya within the delivery period so stipulated.
 - d) Party fails to replace/correct the supplied material /pre-printed stationeries declared to be wrong /different from specification and R.C. holder / successful bidder have to refund the cost of such goods

12. Performance Security Bond (PSB):

- (a) The successful Bidder will liable to deposit 10% of value of the Contract/Purchase Order as Performance Security Deposit in favor of "Meghalayan Medical Drug & Services Ltd, Shillong Meghalaya" by way of "Performance Bank Guarantee in the format given at "Annexure-VI" from nationalized/Commercial Bank refundable after expiry of the contract period + 3 months whichever is higher, subject to successful fulfilment of terms and conditions. Security Deposit/EMD is liable to be forfeited if the bidder withdraws or impairs the bid in any respect. Security deposit is for due performance of the agreement. Non submission of Performance security within the specified time shall also lead to forfeiture of the EMD/PSB.
- (b) To convert the Earnest Money as a Performance Security Bond, however the EMD amount is revised to 3lakh which shall be valid for a period of 3yrs and refundable after expiry of the contract period + 3 months whichever is higher, subject to successful fulfilment of terms and conditions. Security Deposit/EMD is liable to be forfeited if the bidder withdraws or impairs the bid in any respect. Security deposit is for due performance of the agreement.
- (c) Performance security deposit is retained as a security deposit until the period of work / contract may be found satisfactorily and completed. The Performance security deposit may be refunded on receipt of a written application addressed to the Managing Director, MMDSL, Meghalaya. Refund of Performance security deposit shall not carry any Interest Component.

13. Price:

- ✓ The price offered in the tender should be as per the structure requested in the Tender document Annexure-III
- ✓ All Quotes shall be in Indian Rupees and duly attested in case of any corrections.
- ✓ All freight costs & Transit insurance are to be borne by the bidder.
- ✓ In case of imports, all duties and any other costs (foreseen or unforeseen) have to be borne by the bidder and to be clearly indicated in the quote
- ✓ If more than one bidder has quoted exactly the same price in their bids, and if it has become the Lowest Bid (L1), the decision of the Tender Committee is final to equally distribute the schedule quantity among the L1 bidders.

14. Technical evaluation:

- ✓ Technical evaluation of the items tendered will be done by a Technical Committee constituted by the MMDSL Meghalaya

Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



- ✓ Specifications for each of the items will be as detailed in the respective Annexure
- ✓ Tenders submitted with technical specifications and commercial bid will alone be considered for evaluation.
- ✓ The commercial bids of suppliers who are successful in Technical Evaluation only would be considered.
- ✓ In case, if Technical Committee is not convinced with any of the bidder's samples with respect to Quality parameters, then it is the Committee's decision to scrap the Tender.
- ✓ The decision of the Committee formed by Purchaser would be final.

15. (i) Quality Standards:

- a) The Supplied items are to meet the Standard Quality. The evaluation would be done by the technical committee at the time of technical evaluation by adhering the standard quality compliance as specified in the technical specification of the Tender document.
- b) During period of the contract, suppliers shall confirm to the quality standards wherever applicable and would be given priority over others.
- c) Suppliers should supply goods which comply with (i) all provisions of specifications and related documents (ii) meet the recognized standards for safety, efficacy and quality (iii) are fit for the purpose made (iv) are free from defects in workmanship and in materials and (v), failing which payment of the same will not be made.
- d) The Surgical supplied by the successful Bidder shall be of the best quality and shall comply with the specification, stipulations and conditions specified in the Bid documents.
- e) **Compliance with BIS Standards:** All surgical items must comply with relevant Bureau of Indian Standards (BIS) specifications, wherever applicable. The supplier shall provide documentary evidence of compliance with BIS standards, such as relevant IS for surgical scissors, IS for surgical forceps, or other relevant IS codes for specific instruments. "BIS has specific standards for various types of surgical items. Including compliance with these standards ensures that the items meet recognized quality benchmarks.
- f) **A relevant ISO Certification for Quality Management System:** The manufacturer must be certified under ISO. A valid relevant ISO certificate must be submitted as proof of compliance. "ISO certification demonstrates that the manufacturer has an appropriate quality management system (QMS) for producing medical items, which is crucial for product quality and safety.
- g) **CE Marking (for Imported Products):** "In the case of imported products, compliance with the Conformité Européenne (CE) Marking is mandatory. Suppliers must provide CE certification to confirm adherence to European Union health, safety, and environmental protection standards." CE marking ensures that products meet EU standards, which can serve as an additional benchmark for quality. This is typically required for imported products in India.
- h) **Past Performance and Market Standing:** Suppliers must provide a market standing certificate or proof of satisfactory performance for at least three years, along with a list of hospitals or healthcare facilities that have used their products. This requirement ensures that suppliers have an established record in the healthcare market, which helps in quality assurance.

(ii) QUALITY TESTING:

- (a) Sampling of supplies from each batch will be done at the point of supply or distribution/storage points for testing. The samples would be sent to different empanelled laboratories for testing by the authority after coding.
- (b) The surgical items shall meet all standard quality throughout the shelf life period. The samples may also be drawn periodically during the shelf life period. The supplies will be deemed to be completed only upon satisfactory of the quality. Samples which do not meet quality requirements shall liable to be rejected. If the sample is declared to be Not of Standard Quality or spurious or adulterated or misbranded, such batch/batches will be deemed to be rejected.
- (c) In the event of the samples of the Surgical supplied failing quality tests or found to be not as per specification the ordering authority is at liberty to make alternative purchase of items of Surgical for which the Purchase orders have been placed from any other sources or from the open market or from any other Bidder who might have quoted higher rates at the risk and the cost of the supplier and in such cases the ordering authority has every right to recover the cost and impose penalty as mentioned.
- (d) The products should conform to the applicable standards. In case the product is not included in the said compilation, the supplier, upon award of the contract, must provide the reference standards.
- (e) The supply of any item shall be considered complete for the purpose of calculation of liquidated damages only when reference standards are made available to the authority along with the supply of items as per the purchase order. These materials and documents shall be made available by supplier to the authority.

16. Sample Evaluations:

- a) Samples whenever required, for valuation shall be provided by the supplier at free of Cost.

Approved By Shri Ramikumar S.(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



- b) The products should fulfil technical specifications as per Standard Quality.
- c) In case bidder quoted more than one item for a particular item, during Technical round the Tender committee will select only the item with quality satisfaction & the price bid of the selected item only shall be taken into account.
- d) The bidder can participated from more than one manufacture, however the rate quoted should only be one rate, and the L1 bidder will receive a purchase order with the manufacturer's name rotated on it.
- e) The Tender committee has the right to reject any sample in case the sample quality is found unsatisfactory and bidder has no right for any objection.

17. Other Conditions:

- a) The orders will be placed by the Managing Director, MMDSL only.
- b) The details of the required Surgical, etc., are shown in Annexure-I. The rates quoted should not vary with the quantum of the order or the destination.
- c) The composition and strength of each product should be as per details given in Annexure-I. Any variation, if found, will result in rejection of the Bid. .
- d) Rates (inclusive of all expenses / charges but exclusive of GST) should be quoted for each of the required Surgical etc., separately on door delivery basis/landing rate, according to the unit ordered. Bid for the supply of Surgical, etc. with conditions like "AT CURRENT MARKET RATES" shall not be accepted. Handling, clearing, transport charges etc., will not be paid. The delivery should be made as stipulated in the purchase order placed with successful Bidders.
- e) NIL
- f) The rates quoted and accepted will be binding on the Bidder during validity period of the bid and any increase in the price (except increase in GST rate or any other statutory taxes) will not be entertained.
- g) No Bidder shall be allowed at any time on any ground, whatsoever it may be, to claim revision or modification in the rates quoted by him after last date fixed for receipt of bid. Representation to make correction in the Bid documents on the ground of Clerical error, typographical error, etc., committed by the Bidders in the Bids shall not be entertained after submission of the Bids. Conditions such as "SUBJECT TO AVAILABILITY" "SUPPLIES WILL BE MADE AS AND WHEN SUPPLIES ARE RECEIVED" etc., will not be entertained under any circumstances and the Bids of those who have given such conditions shall be treated as incomplete and accordingly the Bid will be rejected. It is further clarified that if a bidder does not fill the column of SGST / CGST / IGST in Financial bid and does not quote the basic rates as per unit specified in the bid document, then the bid shall be rejected.
- h) The rates should be quoted only for the composition stated in the Bid.
- i) Supplies should be made directly by the bidder or the authorised distributor.
- j) The Bidder shall not, at any time, assign, sub-let or make over the contract or the benefit therefore or any part thereof to any person or persons whatsoever.
- k) If supplies are not fully completed within a specified period from the date of the Purchase, the provisions of liquidated damages of Bid conditions will come into force. The Supplier should supply the Surgical at the Warehouse specified in the Purchase Order and if the Surgical/items supplied at a designated places other than those specified in the Purchase Order, transports charges will be recovered from the supplier.
- l) If the Bidder fails to execute the supply within the stipulated time, the ordering authority is at liberty to make alternative purchase of the items of Surgical for which the Purchase orders have been placed from any other sources (such as Public Sector undertakings at their rates, empanelled bidders, and bidders who have been technically qualified in the said bid) or in the open market or from any other Bidder who might have quoted higher rates at the risk and the cost of the supplier and in such cases the Authority/Bid inviting authority has every right to recover the cost and impose penalty as mentioned in Clause 26, apart from terminating the contract for the default.
- m) The order stands cancelled after the expiration of delivery period, and if the extension is not granted with or without liquidated damages. Apart from risk/alternate purchase action, the Bidder shall also suffer forfeiture of the performance security and shall invite other penal action like blacklisting/Debarring disqualification from participating in present and future Bids of Bid Inviting Authority/ordering authority.
- n) It shall be the responsibility of the supplier for any shortage/damage at the time of receipt at the designated places.

Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



Approved By Shri Ramkumar S.(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

- o) If the supplier, or any of its approved items gets debarred/banned/blacklisted in any state after entering into agreement with authority, it shall be the responsibility of the supplier to inform authority without any delay about the same.
- p) If it is brought to the notice of authority that the similar drug of the supplier firm has been found spurious / adulterated in any other state (whether the firm/product has been blacklisted/debarred/banned or not); then no further purchase orders shall be issued for the product and the rate contract with the firm for the product shall be cancelled. In such instances, the purchase order for a similar Surgical shall be placed with the L2 bidder at the negotiated or authority-approved rate.
- Q) If a supplier does not supply any quantity against three successive purchase orders then supplier shall be liable for debarment for the particular product for one year. In such instances, the purchase order for a similar Surgical shall be placed with the L2 bidder at the negotiated or authority-approved rate.
- r) If a supplier fails to execute first order, without proper justification, a show cause notice may be given to him/her to respond within 7 days. If it does not respond or provide a reasonable justification, the authority may issue a purchase order to L-2 and L-3 for the entire failed supply at the negotiated or at the rate approved by the authority.

18. Shelf Life:

- a) The labeled shelf life of Surgical supplied should be not less than the period mentioned against each item in list of Surgical (Annexure-I). The remaining shelf life of the Surgical at the time of delivery should not be less than 80% of the labeled shelf life. Only those bidders shall quote who can supply the product with the required shelf life. The product of labeled shelf life lesser than required shelf life will not be accepted. The product should not have such storage condition requiring it to be stored below 2°C.
- b) In case of imported items the remaining shelf life of 70% or more may be accepted with an undertaking that the firm will replace the unused expired stores with fresh goods.

19. Quantity Division:

Each Delivery Schedule of Requirement incorporate in the tender enquiry document will be ordered from the Lowest Responsive Bidder (L1). However, it is the purchaser's decision to assess the capacity of the L1 bidder to support the requirement. If L1 refuses to supply and in case of L1 bidders capacity is less than the quantity required, the purchaser has the right to split the order quantity among the other bidders in the order of lowest to highest bidder as per the provisions of transparency in Tenders Act & Rules, provided the next lowest bidder agrees to match the L1 rate or at the rate approved by the authority.

20. Authority for signing Tender Documents:

- ✓ A person signing the Tender Form or any document, forming part of the contract on behalf of the supplier, shall carry the authorization letter stating his/her authority to sign such documents from the respective organization
- ✓ Any Agent who is participating on behalf of a manufacturer shall have the Valid authorization letter from the manufacturer to sell/supply the goods in the area where the tender is meant for, without which the bid will not be considered as valid

21. Responsibility for Performance of Contract:

The Supplier shall be entirely responsible for the performance of the contract in all respects in accordance with the terms and conditions as specified in the Contract. The Supplier shall not subcontract, transfer or assign the contract.

22. Quality Inspection:

- a) For every unit supplied by the supplier, the conformance to the Specifications mentioned in the Tender shall be established by the supplier.
- b) Supplier represents and warrants that it shall fully comply with all written quality assurance requirements or instructions of MMDSL, Meghalaya, and as amended from time to time at the sole discretion of MMDSL, Meghalaya. Supplier further represents and warrants that the Product supplied by the Supplier in strict compliance with all applicable central, state and local laws.
- c) The supplier shall maintain the highest standard of quality in the Product. Supplier shall follow and abide by all directions, requests, suggestions or instructions of MMDSL, Meghalaya regarding the quality standards required by MMDSL, Meghalaya in connection with the manner of Packaging, storage and delivery of the Product.



Approved By Shri Ramikumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

- d) The supplier shall facilitate in-process and / or Pre-delivery inspection by the Representatives of the Purchaser, as and when, the same is required by the Purchaser
- e) Notification by Supplier – In case of inspection at the Supplier’s premises, notice in writing shall be sent by the Supplier, sufficiently in advance, to the Purchaser when the items to be supplied, are ready for inspection.
- f) Rejections – At delivery, MMDSL, Meghalaya in its sole discretion may reject any Product produced or manufactured by Supplier for any reason, including Non-compliance with GMP or any other reputed standard, but not limited to defects, or failure to meet quality standards, etc.
- g) Removal of Rejections - Any supplies inspected and rejected at the Purchaser’s premises must be removed by the Supplier, within 7 days from date of receipt of intimation of rejection of supplies in case of indigenous suppliers & 28 days in case of foreign suppliers. If the rejected goods have already been paid for (partly or fully), the supplier shall before removal of rejected goods , either deliver correct replacement goods at Purchaser’s premises completely free of cost (including cost of goods , freight, taxes, duties etc) or refund the payment received as well as make full compensation for freight taxes , duties etc. Such rejected items shall lie at supplier’s risk from the time of such rejections and if not removed within the above time limit, the Purchaser shall have the right to dispose off the said rejected materials as he may deem fit without any financial obligation to the supplier.
- h) If found that the Successful Bidder is incompetent to provide the supply as requested, in such a situation, the proposal may be reviewed for award of the contract to the next qualifying bidder or go for a fresh bid depending on the circumstance. No form of compensation shall be payable in any form whatsoever to the forfeited firm. In case it is decided to go for the next qualifying bidder, negotiation maybe considered to bring down their price nearer to the originally Evaluated or Lowest bidder in consideration to the Surgical to be supplied.

23. Supplier Responsibility:

- a) Under any circumstances, No supplier shall supply the goods, in which recycled materials are used / used- disposables to MMDSL, Meghalaya. If MMDSL, Meghalaya finds any such instance, it will lead to cancellation of Purchase Order and subsequent severe punitive (legal and financial) actions by MMDSL, Meghalaya. However, all the consequential costs are to be borne by the Supplier to MMDSL, Meghalaya.
- b) The supplier is responsible for the delivery of the goods in satisfactory condition and without any loss or damage at the final destination and until the same is actually received by the Purchaser at its works or other place of final destination. For this purpose, goods carried by the roadway or other carrier shall be deemed to be carried at the risk of the supplier. If on inspection at final destination the Purchaser discovers any discrepancy, the Purchaser will be entitled (not-with-standing that the property of goods shall have passed on to the company) to refuse acceptance of the goods altogether and claim damages and/or cancel the contract and buy its requirement in the open market at the risk and cost of the supplier, reserving always to itself, the right of forfeiture of any amount found due and payable or the deposit, if any, placed by the supplier for the due fulfilment of the contract as also to recover any amount, if already paid.

24. Responsibility for proper packing, wherever required:

- a) The Supplier shall be responsible for the items being sufficient and properly packed, for transport by rail/road/sea/air/ or any combination of the above, so as to ensure their being free from loss or damage on arrival at the destination.
- b) In case if a bidder has got successful for more than one item, the supply shall be packed in lot, as per the instructions of MMDSL, Meghalaya.
- c) Marking of Packages, Packing: Each package/box delivered under the contract shall bear the following:-
 - Name of the Supplier
 - PO Number
 - Consignee’s name and address
 - Description and quantity of contents
 - Gross weight, Net weight,
 - Distinctive number or mark which is also to be shown, for the purpose of Identification, on the Supplier’s packing list/
 - Embossment of MMDSL logo.
 - NO box should contain mixed products or mixed batches of the same product.



- Every corrugated box should carry a large outer label clearly indicating that the product is for “MMDSL, Meghalaya Govt. Supply, Not for Sale”
- The Product label on the carton should be large in dimension. It should carry the correct technical name, strength or the product, date of manufacturing, date of expiry quantity packed and net weight of the box.
- Packing should be able to prevent damages or deterioration during transit.
- All packaging, whether strips or bottles must be tamper-proof, able to withstand rigorous handling, and marked with MMDSL, Meghalaya Government Supply, Not for Sale.

25. Delivery:

- Timely delivery is the essence of the contract & must be completed as per the dates specified therein.
- The Supplier shall deliver the items in strict accordance with the delivery terms indicated on the Purchase Order issued to the successful bidder.
- Notification of delivery or dispatch in regard to each and every consignment shall be made by the Supplier to the authorities named in the Contract.

26. Failure and Termination:

Should the Supplier fail to deliver the items or any consignment thereof, within the period prescribed for such delivery, the Purchaser shall be entitled at his/ her option, to the following:

Delayed Penalty & Liquidity Damage:

Up to 7 Days from Delivery Due Date	0.75% from the total PO value
From 8th day to 15 Day	1.00% from the total PO value
From 16th day to 22nd Day	3.00% from the total PO value
From 23rd day to 30th Day	5.00% from the total PO value
Above 30 Days	10.00% from the total PO value

27. Risk Purchase:

If the Supplier fails to deliver the items either in full or in part, within the prescribed delivery period, the Purchaser shall be entitled at his option to take alternate procurement action, at the risk & cost of the supplier for the unsupplied portion of the goods / items without cancelling the contract in respect of the items not yet due for delivery, or to cancel the contract based on progress of work, including items not due for delivery, and, if thought fit/necessary, to purchase the items at the risk and cost of the Supplier. The price differential in the case of higher cost to Purchaser, if any, shall have to be borne by the defaulting supplier. Moreover the defaulting supplier shall have no claim over the quantity, which they failed to supply.

28. Addendum & Corrigendum:

At any time prior to the date of submission of the Bids, the Tender Inviting Authority may, for any reason whatsoever, whether on his own initiative or in response to a clarification requested by prospective bidders, modify the Tender Documents by an act of amendment thereafter referred to as an Addendum for Addition & Corrigendum for Correction. All prospective bidders who have received the bid documents will be notified of the Addendum / Corrigendum and that will be binding on them. In order to provide reasonable time to take the Amendment into account, the Tender Inviting Authority may at its discretion extend the date and time for submissions of Bids. The bidders should check for such amendments or Corrigendum on the website. No separate intimation will be issued to them.

29. Ethics:

Any attempt by a Tenderer to obtain confidential information, enter into unlawful agreements with competitors or influence the committee or the Contracting Authority during the process of examining, clarifying, evaluating and comparing tenders shall make the tender submitted by that tenderer liable for rejection.

30. Quantity of Delivered Items:

- If the quantity received by the Target Delivery date is less than the P.O Scheduled quantity, then the physical quantity received will be the quantity certified by the Purchaser.
- If the quantity received is more than the P.O quantity, the excess quantity shall not be paid for, by the Purchaser.

Approved By Shri Ramkumar S.(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



- c) In case of any supply quantity with an upper or lower tolerance of over 5%, MMDSL, Meghalaya will have the right to accept or reject the material immediately

31. Taxes, Duties and Levies:

- a) Tenderers must clearly mention their GST Registration in their offers and invoices.
b) GST shall be clearly mentioned in the offer indicating the applicable rates.
c) In case if there is a decrease in the Statutory Taxes / Duties / Levies, the same has to be passed to the Purchaser

32. Guarantee:

The supplier must take the entire responsibility to supply the Quality-oriented products to MMDSL, Meghalaya. In case of distributors, the responsibility lies with the distributor to ensure the supply of right quality materials to MMDSL, Meghalaya.

33. Indemnity:

The Supplier shall at all times indemnify the Purchaser against all claims which may be made in respect of the items, for infringement of any right protected by Patent, Registration of design or Trade Mark and shall take all risk of accidents or damage which may occur or failure of the supply arising. The Supplier shall be entirely responsible for the sufficiency of all the means used by them for the fulfilment of the contract. Supplier shall agree to indemnify, defend and hold MMDSL, Meghalaya and its officers, Directors, Employees, its parent and assigns harmless from and against any and all liability, losses, damages, claims, liens, expenses or causes of action including, but not limited to reasonable legal fees and expenses that may be incurred by MMDSL Meghalaya, arising directly or indirectly out of, or in connection with, Supplier's violation or breach of any of the terms of this Agreement or any act or omission to act by Supplier in violation of the Agreement. MMDSL Meghalaya shall provide the Supplier with prompt written notice of any claim for which indemnification is sought and shall have the right to participate in the defence of any such claim.

34. Warranties and Obligations:

- a) Supplier represents and warrants that it will use its best efforts to produce and distribute the Product in accordance with the terms and conditions of this Agreement.
b) Supplier shall be solely responsible for the production and distribution of the Product and will bear all related costs associated therewith, except as otherwise provided in this Agreement.
c) Replacing the quality non-compliance items/goods should be done immediately within 5 working days.

35. Compliance of the Laws of the land:

- a) The supplier shall comply with all state and local laws and regulations shall obtain all necessary licensing for the operation of its business and shall further comply with all quality control standards promulgated by MMDSL, Meghalaya from time to time.

36. Documentation requirements:

A supplier has to send the following documents along with the shipment.

- a) Invoice in original along with two additional copies, both duly signed and stamped by the Supplier.
b) Selivery challan duly signed by the concern official stating goods have been received in good conditions and in full.
c) A copy of Purchase order raised by MMDSL, Meghalaya
d) Laboratory test of each Surgical from the approved Lab

37. Product Withdrawal:

- a) If it is deemed necessary at any time by either MMDSL, Meghalaya or Supplier or any local, state, or central governmental agency or other authority to recall or withdraw the Product produced by Supplier/Manufacturer and being supplied to MMDSL, Meghalaya, either as a result of failure of the Product or Supplier to strictly comply with MMDSL, Meghalaya quality standards or any governmental health rule or regulation, or shall fail to comply with any other governmental authority or agency having jurisdiction, supplier shall bear all costs and expenses incurred by it and/or in complying with the recall or withdrawal procedures, unless such recall or withdrawal is solely the result of the negligence or misuse by MMDSL, Meghalaya.

Approved By Shri Ramkumar S.(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10.15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

- b) If Supplier fails or refuses to promptly comply with the recall or withdrawal of the product upon request by the Purchaser, MMDSL, Meghalaya shall take such action as it deems necessary to recall or withdraw the product and Supplier shall immediately reimburse for the costs and expenses incurred.
- c) If the goods supplied is not as per the specification on analysis of the samples by appropriate approved authority, then the rejected and available quantities have to be lifted back by the supplier. All cost and consequences of such rejected quantities shall be borne by the supplier.
- d) If the samples drawn from supplies do not conform to statutory standards, the supplier will be liable for relevant action under the existing laws and the entire stock in such batch should be taken back by the supplier within a period of 30 days from the issue of letter from ordering authority the information of which may be communicated by e- mail. The stock shall be taken back at the expense of the supplier. The authority has the right to destroy such NOT OF STANDARD SURGICAL IF THE SUPPLIER does not take back the goods within the stipulated time.
- e) The Supplier shall replace the stock of NOT OF STANDARD QUALITY goods with fresh goods upon intimation to do so by the authority.
- f) If a batch/batches of the Surgical are declared as NOT OF STANDARD QUALITY the Firm shall supply fresh stocks of standard quality of Surgical equivalent to the entire quantity of the batch supplied irrespective of the quantity available in the stock, within 30 days from the date of receipt of the communication.
- g) The supplier will not be entitled to any payment whatsoever for Items of Surgical found to be of NOT OF STANDARD QUALITY whether consumed or not consumed and the ordering authority is entitled to deduct the cost of such batch of Surgical from the any amount payable to the Bidder. On the basis of nature of failure, the product/supplier will be moved for Black Listing.
- h) For supply of Surgical of NOT OF STANDARD QUALITY the respective AUTHORITY will be informed for initiating necessary action on the supplier and that the report of product shall be sent to the committee for appropriate action including blacklisting.
- i) The decision of the authority or any Officer authorized by him as to the quality of the supplied Surgical etc., shall be final and binding.
- j) The Authority will be at liberty to terminate without assigning any reasons thereof the contract either wholly or in part. The Bidder will not be entitled for any compensation whatsoever in respect of such termination.
- k) Non performance of any contract provisions shall be examine and may disqualify the firm to participate in the future Bids.

38. Product Allocation and Stocking:

In the event there is an emergency shortage of the product, as announced by Supplier or its designated representative, Supplier shall stand ready to stock adequate quantities of the Product so that scheduled supplies to MMDSL, Meghalaya, should not suffer for the full contract period. In an event of Supplier failing to supply the material in order quantities and as per time schedules, MMDSL, Meghalaya, reserves the right to procure the product of same or superior quality at same or higher price from an alternate supply source and any difference in cost of procurement shall be debited to the Supplier.

39. Trademarks:

The supplier shall not, without prior written consent of MMDSL, Meghalaya use the trademarks or service marks or sales marks of MMDSL, Meghalaya in any manner whatsoever, unless, and then only to the extent, such use is authorized by MMDSL, Meghalaya in writing and then only in accordance with MMDSL, Meghalaya directions or specifications

40. Termination:

MMDSL, the Meghalaya Tender Committee shall have the right to immediately terminate this Agreement by giving a written notice to the Supplier in the event that Supplier does any of the following:

- I. Fails to supply the order from the date of target delivery date.
- II. Files a petition in bankruptcy or is adjudicated bankrupt or insolvent, or Supplier discontinues its business
- III. Breaches any provision of this Agreement, and fails to cure such breach within seven (7) days after it receives a written notice of breach from the MMDSL, Meghalaya.
- IV. MMDSL, the Meghalaya Tender committee has Right to Terminate without giving any Cause. MMDSL, Meghalaya shall have the right to terminate this Agreement by written notice to Supplier.



Approved By Shri Ramikumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

V. Upon receipt of the notice of termination from the Purchaser, the Supplier shall either immediately or upon the date specified in the notice of termination, cease all further supplies except for such as the Purchaser may specify in the notice of termination. In the event of termination of the Contract the Purchaser shall only pay to the Supplier, the Price for the parts executed by the Supplier as of the date of termination.

41. Infringements:

a) The supplier agrees to fully cooperate with MMDSL, Meghalaya in the prosecution of any such suit against a third party and shall execute all papers, testify on all matters, and otherwise cooperate in every way necessary and desirable for the prosecution of any such lawsuit.

42. Governing Law; Dispute Resolution:

- a) This Agreement shall be governed by, and construed in accordance with, the laws of the India; without regard to conflict of law principles, and under the jurisdiction of Meghalaya and language shall be English
- b) In all the above conditions, the decision of the Bid Inviting Authority, viz Managing Director, MMDSL, Meghalaya, would be final and binding; in case of any dispute regarding all cases under Bid procedure or in any other non-ordinary situation and would be acceptable to all.
- c) All litigations related to the supplier for any defaults will be done by Bid Inviting Authority and his decision will be final and binding.

43. Notice:

- a) Any notice required to be given pursuant to this Agreement shall be in writing and delivered personally or by a nationally recognized overnight courier service, or mailed by certified or registered mail, return receipt requested, to the other party at its address as set forth at the top of this Agreement.
- b) All such notices shall be effective upon delivery or upon refusal to accept delivery.
- c) Either party may change the address to which notice is to be sent by written notice to the other in accordance with the provisions of this paragraph.

44. Procuring Entity's Right To Vary Quantity (if quantity is indicated):

- a) At the time of award of contract, the quantity of Surgical, originally specified in the bidding documents may be increased or decreased. There will not be any minimum quantity guaranteed against bid quantity. The bid quantity is only indicative (if indicated). Actual purchase can be more or less than the bid quantity based on actual consumption in the hospitals during Rate Contract period and the bidder shall not have any objections.
- b) If the procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the bidding documents due to change in circumstances, the bidder shall not be entitled for any claim or compensation.

45. Miscellaneous:

- a) If any term, clause or provision hereof is held invalid or unenforceable by a court of competent jurisdiction, such invalidity or unenforceability shall not affect the validity or operation of any other term, clause or provision, and such invalid or unenforceable term, clause or provision shall be deemed to be severed from the Agreement.
- b) This Agreement constitutes the entire understanding of the parties, and revokes and supersedes all prior agreements between the parties, and is intended as a final expression of their agreement. It shall not be modified or amended except in writing signed by the parties hereto and specifically referring to this Agreement.
- c) Bidders or employees of bidder cannot claim or construed as employees of MMDSL Meghalaya.
- d) The NIT is governed by the GFR-2017 and all subsequent amendments.

46. Force Majeure:

If at any time during the validity of the Contract, the performance in whole or in part by either party of any obligation under this Contract shall be prevented or delayed by reasons of War, Hostility, Acts of Public Enemy, Civil Commotion(s), Sabotage, Fire(s), Flood(s), Explosion(s), Epidemic, Quarantine Restrictions, Acts of State or Acts of God, hereinafter referred to as eventualities, then the Contract period will get extended for the period of Force Majeure, provided Notice of the happenings of any such eventualities is given, supported by a certificate of appropriate authority or Chamber of Commerce by either party to the other within 15 days from the date of occurrence



thereof. Neither party shall by reason of such eventualities be entitled to terminate this contract nor shall either party have any claim for damages against the other in respect of such non-performance or delay in performance. Work under this contract shall resume as soon as practicable after such eventualities have come to an end or ceased to exist. Should one or both parties be prevented from fulfilling their contractual obligations by state of Force Majeure lasting continuously for a period of at least three months, the parties shall consult each other regarding further continuation of the Contract.

47. Dispute Redressal Committee:

All disputes can be addressed by amicable settlement by a committee constituted by Managing Director of MMDSL, Meghalaya.

48. Declaration by the Tenderer:

The Tenderer shall be required to declare whether the proprietor or any partner of the firm or Director of their company as the case may be, has any relation to any employee working with the Purchaser and if so, give the name of the employee and the relationship.

49. Waiver:

Failure to operate or to enforce any condition under this Contract shall not operate as a waiver of the condition itself or any subsequent breach thereof.

50. Payment Terms:

- a) Payment will be made after successful execution of the order in totality or postal delivery, inspection, acceptance and Receipts of the Goods. The bidder or their authorized distributors or selling agent of a particular firm, should submit the bills/invoices (provided the bidder specified in the authorisation letter for the distributor/selling agency) with a copy of delivery Challans – duly acknowledged by the Purchaser and order copy with a satisfactory inspection report of the designated Technical Committee after Delivery duly signed and accepted and the NABL/lab test report should be submitted at MMDSL Meghalaya, DHS Office, Laitumkrah, Shillong Meghalaya in original. Three copies of each document should be made and one copy handed over to the authority at the delivery site.
- b) No advance payment towards costs of Surgical etc., will be made to the Bidder.
- c) On receipt of the prescribed consolidated invoice duly stamped and signed by authorized signatory and analytical laboratory report regarding quality, the payment would be made.
- d) All bills/ Invoices should be raised in triplicate and in the case of excisable Surgical; the bills should be drawn as per GST Rules / other applicable Rules if any
- e) The supplier will deliver following document at the time of delivery (i) test report (Aas applicable) of Surgical and challan.
- f) Payments for supplies will be considered after receipt of test reports of standard quality on samples having been tested by approved laboratories/NABL.
- g) If at any time during the period of contract, the price of Bided items is reduced or brought down by any law or Act of the Central or State Government or by the Bidder himself, the Bidder shall be bound to inform the authority immediately about it. The authority empowered to effect such reduction as is necessary in rates in case the Bidder fails to notify or fails to agree for such reduction of rates.
- h) In case of any enhancement in GST as per notification of the Government after the date of submission of Bids and during the Bid period, the quantum of additional GST so levied will be allowed to be charged extra without any change in the basic of the price structure of the Surgical approved under the Bid. For claiming the additional cost on account of the increase in GST, the Bidder should produce a letter/notice from the concerned Excise authorities /GST authorities (Central and State) for having paid additional GST on the goods supplied to ordering authority and also must claim the same in the invoice. In case of reduction in rates of GST price will be reduced accordingly.
- i) In case of successful bidder has been enjoying GST exemption or any criteria of Turnover etc., such bidder will not be allowed to claim GST at later point of time, during the tenure of contract
- j) If the supplier requires an extension in time for completion of contractual supply, on account of occurrence of any hindrance he shall apply in writing for extension with reasons on occurrence of hindrance.

Approved By Shri Ranikumar S.(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



- k) The purchase Officer may extend the delivery period with or without liquidated damages in case they are satisfied that the delay in the supply of goods is on account of hindrances. Reasons shall be recorded
- l) If the supply is received in damaged conditions it shall not be accepted

51. FALL CLAUSE:

The prices quoted for the material supplied under this tender by the Supplier shall in no event exceed the lowest price at which the Supplier sells or offers to sell similar material in similar volume of identical description to any person(s)/organization(s) including the Purchaser or any other MMDSL office located at any other place in India. If at any time during the said period, the supplier reduces the sale price, sells or offers to sell such stores to any person(s)/organization(s) including the Purchaser or any Statutory Undertaking of the Central or a State Government, as the case may be, at a price lower than the price chargeable under this contract, he shall forthwith notify such reduction or sale or offer to sale to the Purchaser and the price payable under the contract for the material supplied after the date of coming into force of such reduction or sale or offer of sale stand correspondingly reduced.

52. Blacklisted:

A valid Affidavit as of the current date on a Non-Judicial Stamp Paper of Rs. 10/-, attested by a Notary Public (In Original) that there is no vigilance / CBI Case or arbitration cases pending with the Government of Meghalaya against the Firm/Supplier that the Proprietor/Director/Members of the Board of Directors of the Bidder or the bidder and the Principal Manufacturer on whose behalf they have quoted has never been blacklisted by any Institution (Government or Public).

53. Conflict of interest:-

- a) The Bidder participating in a bidding process must not have a Conflict of Interest. A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.
- b) Prevention of Corruption Act, 1988, Competition Act, 2023, CVC, 2021 and all subsequent amendments shall prevail.

54. SAVING CLAUSE: No suit, prosecution or any legal proceedings shall lie against Bid Inviting Authority or any person for anything that is done in good faith or intended to be done in pursuance of the Tender

55. GENERAL TERMS AND CONDITIONS:

- i. Pre-Qualified Bidders, if requested are required to arrange a sample of the items, preferably in the office of Managing Director, MMDSL Laitumkrah, and Meghalaya Shillong. The Tenderer demonstrate the participating Surgical at office of Managing Director, MMDSL on date fixed by the technical committee duly constituted by competent authority. Failure to arrange for a demonstration on the given date may lead to cancellation of the bid. Cost of organizing such demonstration shall be borne by the bidder.
- ii. Tenders should be quoted only by the actual manufacturer. The bidder is responsible for the supply of stores. If the Principal Manufacturer withdraws rights of distribution from the authorized distributors or selling agent of a particular firm during validity period of rate contract, Managing Director, MMDSL Meghalaya has right to cancel the eligibility of the bidder and accept the candidature of new coming authorized distributor. For supplying items at approved rates new coming firm may have to deposit the EMD.
- iii. The goods offered/supplied should not be obsolete /out of production.
- iv. The tenderer hereby declares that the goods supplied to the buyer under this contract shall be of the best quality and shall be strictly in accordance with the specifications and the particulars contained/mentioned in the clauses here of and the tenderer hereby guarantee/ warranty that the said goods conform to the description and quality aforesaid. The purchaser will be entitled to reject the said goods or such portion thereof as may be discovered not to conform to the said quality Bidders are required to quote strictly as per specification of the goods. Deviation to specification must be brought out clearly giving deviation statement in Annexure-II.
- viii) The Managing Director, MMDSL Meghalaya has full authority to take into account the performance of manufacturer/authorized dealer or distributor/bidder and they should submit (if asked) a latest

Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



performance certificate from any other Govt. Hospitals/Institutions/PSUs to testify the proper dealing & performance.

56. Arbitration:

- a) In the event of any question, dispute or difference arising under this contract (except as to any matters the decision of which is specially provided for by the general or the special conditions.), the same shall be referred to the sole arbitrator or an officer appointed to be the arbitrator by the Managing Director MMDSL Meghalaya. It will be no objection that the arbitrator is a Government Servant or that he had to deal with the matters to which the contract relates or that in the course of his duties as a Government servant he has expressed views on all or any of the matters in dispute or difference. The 'Award' of the arbitrator shall be final and binding on the parties to this contract.
- ii) In the event of the Arbitrator dying, neglecting or refusing to act or resign or being unable to act for any reason, or his Award being set aside by the Court for any reason, it shall be lawful for the Managing Director MMDSL Meghalaya to appoint another arbitrator in place of the outgoing arbitrator in the manner aforesaid.
- i) It is further a term of this contract that no person, other than the person appointed by the Managing Director MMDSL Meghalaya as aforesaid, should act as arbitrator and that, if for any reason that is not possible, the matter is not to be referred to Arbitration at all.
- ii) Upon every and any such reference, the assessment of the costs incidental to the reference and Award, respectively, shall be at the discretion of the arbitrator.
- iii) Subject as aforesaid, the Arbitration and Conciliation Act, 1996 as amended and the rules there under and any statutory modification thereof for the time being in force shall be deemed to apply to the Arbitration proceedings under this clause.
- iv) The venue of arbitration shall be the place from which formal Acceptance of Tender is issued or such other place as Managing Director MMDSL Meghalaya at his discretion may determine.

57. Annexure – I

Sl. No	ITEM	SPECIFICATION
1.1.1	Surgical Mask	Must Be Three Ply(3-ply bee>99%), Must conform with KEBS/ISO/CE Standards (Should conform BFE >=95%. & Should conform Breathing resistance < 29.4 Pa/cm2), Microbial cleanliness (CFU/g): ≤ 30.
1.1.2	Surgical Cap	Disposable, surgeon's Cap of PP non-woven + melt-blown + PP non-woven (25gsm), with back Elastic
1.1.3	Corrugated Drainage Sheet	Sterile, 20x30cm, Disposable, Manufactured from non toxic, non irritant medical grade PVC.
1.1.4	Aerosol Disinfectant	evaporation, 2~2.5 Ltrs. / Hour, Optimum result use formalin, 10~12 ml / Ltr, should sterilize 250 cu. meters (9000 cu. ft.) in just 30-60 minutes.
1.1.5	Vacuum Drainage Set FG10/12/14/16/18	With below Unit size 800ml, Connecting tube with clamp and "Y" connector
1.1.6	Respirometer	3 stage chamber, transparent body, can be dismantled into base & ventral part, containing three spheres with connecting tube & mouthpiece
1.1.7	Thoracic Trocar/Catheter	Cather of PVC medical grade fitted over trocar with blunt Smooth Tip and Large Drainage Eyes, Proximal end with Connector
1.1.8	Water Seal Chest Drainage System	(1200ml) Single Chamber
1.1.9	ET Tube 2mm, 2.5mm, 3mm, 3.5mm, 4.0mm, 4.5mm, 5.0mm, 5.5mm (uncuffed)	Made with a non-DEHP plasticizer that does not contain phthalates

Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



Approved By Shri Ramikumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

1.1.10	ET Tube 3.5mm, 4.0mm, 4.5mm, 5mm, 5.5mm, 6mm, 6.5mm, 7mm, 7.5mm, 8mm, 8.5mm, 9mm, 9.5mm, 10mm (cuffed)	Made with a non-DEHP plasticizer that does not contain phthalates, Distal tip reference lines and depth marks assist in proper placement
1.1.11	Ryles Tubes Size 6FG, 8FG, 10FG, 12FG, 14FG, 16FG, 18FG, 20FG	The tube should be marked at 50, 60 and 70 cm from the tip for accurate placement, Made up of non-toxic, non-irritant and kink resistant medical grade PVC
1.1.12	Foley Catheter 2 Way Size 6 FG , 8FG, 10FG, 12FG, 14FG, 16FG, 18FG, 20FG, 22FG, 24FG,	Urethral catheter with balloon: Foley catheter 2-way with nelaton tip, Central channel for urinary drainage, straight rounded distal end with lateral eyes, proximal end with cup connector allowing catheter to be connected to urine bag, Side channel for inflating balloon, ending by a non-return valve with Luer tip connector, Diameter: CH10, Length: 20 - 30cm, Balloon capacity: 3 – 5ml
1.1.13	Foley Catheter 3 Way Size 16 FG, 18FG, 20FG,, 22FG, 24FG,	Ballon Capacity 30-50ml
1.1.14	Foley Catheter 3 Way Size 18 FG	Ballon Capacity 30-50ml
1.1.15	Malecot Catheters 10Fr, 12Fr, 14Fr, 16Fr, 18Fr, 20Fr, 22Fr, 24Fr, 26Fr, 28Fr	Virgin natural rubber with good flexibility and biocompatibility
1.1.16	Plain Rubber Catheters 3Fr, 4Fr, 5Fr, 6Fr, 8Fr, 10Fr, 12Fr, 14Fr,	Virgin Natural Rubber with Good Flexibility and Bio Compatability
1.1.17	Urethral Dilators	Dialation dimation: 9/10/11/12/13/14/15/16mm or 8/10/12/14/16/18/20/22/24Fr, Length: 40cm
1.1.18	Urethral Catheter 3F, 4F, 5F, 6F, 7F,	Round tip
1.1.19	Absorbent Cotton Wool 500gms Net	Material: 100% cotton surgical grade, purified, bleached, and carded.
1.1.20	Cotton Absorbent Gauze Cloth 18Mtrs	ISI Mark. 31gm/sq mtrs (+-5gms). Warp 75 Wefts 55 Threads / 10cm
1.1.21	SMMS Wrapping Sheet	It should be single use, good strength, light weight, soft, effective bacterial barrier, wet penetration resistant and suitable for steam, Latex free, fluid repellent property. Products thickness should be 50gsm. Bacterial filtration efficiency with test report, validation reports, Certificates, MSDS. Confirms with EN868-2 & CE marked 150cm*150cm
1.1.22	Inflatable Unilateral Without Airway	It should be single use, good strength, light weight, soft, effective bacterial barrier, wet penetration resistant and suitable for steam, Latex free, fluid repellent property. Products thickness should be 50gsm. Bacterial filtration efficiency with test report, validation reports, Certificates, MSDS. Confirms with EN868-2 & CE marked.
1.1.24	Infant Feeding Tube Size 4FG, 5FG, 6FG, 7FG, 8FG, 9FG, 10FG,	Smooth coned distal end for atraumatic intubation with two lateral eyes for efficient drainage with Marking at 5-40cm from tip.
1.1.25	Suction Catherer 5FG, 6FG, 8FG, 10FG, 12FG, 14FG, 16FG, 18FG,	Single channel tube. Proximal end with cup connector, conical tip, allowing the tube to be connected to devices such as suction pump system. Open distal end, straight, with two side windows.
1.1.26	Intraosseous Needle for Paediatric	
1.1.27	Umbilical Catheter 3.5FG, 5FG, 5FG, 6FG, 8FG,	Material: non-toxic soft medical grade P.V.C. Markings at every cm to ascertain depth of insertion, radio opaque line ascertain position during scans
1.1.28	Intercostal Drainage Catheter 12FG, 16FG, 20FG, 24FG, 28FG, 32FG, 36FG,	Distal end is open with super smooth larger eyes to maximize the drainage from the chest. Proximal end is fitted with specially designed tapered tongue.



Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

1.1.29	Impregnated CHG 4% Sponge & Brush	
1.1.30	BP Cuff with Rubber Bag Adult & Child	Child, Small, Medium & Large Composed of a cuff containing an inflatable bag of single tube. The cuff is made of durable material (e.g. nylon), which is non-deformable, and washable at 30°C. The cuff is fitted with Velcro fastening, enabling a tight and secure fit around arms. The cuff is reinforced at both sides.
1.1.31	BP Cuff with Rubber Bag Paediatric	Child, Small, Medium & Large Composed of a cuff containing an inflatable bag of single tube. The cuff is made of durable material (e.g. nylon), which is non-deformable, and washable at 30°C. The cuff is fitted with Velcro fastening, enabling a tight and secure fit around arms. The cuff is reinforced at both sides.
1.1.32	Reinforced Interface Adherent	3 Mtrs
1.1.33	Cold box, OP-1-31 lit	Cold Life: >30 hours at 2°C to 8°C in an ambient temperature of 43°C.
1.1.34	Cold box, OP-1-28 lit	Cold Life: >30 hours at 2°C to 8°C in an ambient temperature of 43°C.
1.1.35	Electric Steam Healer	Material: Virgin Polypropylene Re grind PP Power Consumption: 300w
1.1.36	Overwrap Pad 50cm x 50cm	
1.1.37	Overwrap Pad 40cm x 40cm	
1.1.38	Mucus Sucker/Extractor	Suction Tube lengths available: 40 & 50 cm. Suction Tube sizes: From 6FG to 14FG.
1.1.39	Umbilical Cord Clamp	Disposable sterile umbilical cord clamp, safe, effective and easy to apply. Safe security lock, with a click to indicate correct locking, to protect against accidental re-opening after clamping
1.1.40	Kehr's "T" Tube 12FG , 14FG , 16FG	Medical Grade PVC made siliconised "T" tube for Common Bile Duct drainage.
1.1.41	Abdominal Drainage Kit 20FG , 24FG , 28FG	Soft abdominal drainage catheter with collection bag of 2000 ml. capacity. Available with DEHP Free Material.
1.1.42	Under Water Seal Drainage System (Adult) (Child)	Leak proof bag of 1000 ml capacity for adult & 500ml for child. Bag & tubing (Length 100cm) is made up of PVC.
1.1.43	Umbilical Cotton Tape	
1.1.44	Abdominal Sponge	Made by BP 17 Type Gauze Cloth. 24 Thread in Warp, 17 Thread in Weft, 23 gms/m ² weight cloth. Good bleached finished and absorbent cloth
1.1.45	Tetra Piece	
1.1.46	QAC Canister 20x15cm 100pcs	
1.1.47	Stretch Fixation Dressing	Hypo-allergenic polyacrylate adhesive adheres reliably. Transversely stretchable, Permeable to air and water vapour, Radiotransparent
1.1.48	Cardiac Electrode	Hypoallergenic, latex free, non-irritating, disposable electrodes meets and meets all AAMI performance specifications.
1.1.49	Mop Swabs	
1.1.50	Kelly's Pad	Disposable absorbent Under buttock drape with fluid collection pouch Packed in Medical Grade Pouch. Made of laminated LDPE high-quality materials.
1.1.51	Oxygen flowmeter	Needle valve and body constructed of brass or aluminium. Calibrated at 50-55 psi / 345-380 kPa / 3.4-3.8 bar inlet gauge pressure. Certification : CE and ISO 13485:2003 Medical devices, ISO 15002



Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

1.1.53	Adhesive Plaster (7.5cm x 5m)	100% cotton fabric coated with zinc oxide/hot melt adhesive.
1.1.54	Adhesive Plaster (10cm x 10m)	100% cotton fabric coated with zinc oxide/hot melt adhesive.
1.1.55	Perforated Transparent Hypoallergenic Adhesive Tape	Non-woven fabric, coated with Hypo allergenci polyacrylic adhesive. Tape is in roll form. Fabric is flexible - white colour, porous and easy to tear.
1.1.56	Cast Padding 10 cm X 3mtr	The cast padding is white colour, practically odorless. Its sinking time is not more than 10 sec/gg of viscose pad and water holding capacity is not less than 18 sec/gg of viscose pad.
1.1.57	Cast Padding 15 cm X 3mtr	The cast padding is white colour, practically odorless. Its sinking time is not more than 10 sec/gg of viscose pad and water holding capacity is not less than 18 sec/gg of viscose pad.
1.1.58	Plaster of Paris 10 cm X 2.7 mtr	Cotton cloth impregnated with dried calcium sulphate and suitable adhesive. The cotton cloth is gauze (Leno) weave in one continuous length containing no joints, bleached to a good white, clean and reasonably free from weaving defects, leaf and shell. The setting time is 115-155 seconds and the cast strength is 852-1155 gm/gm of bandage.
1.1.59	Plaster of Paris 15 cm X 2.7 mtr	Cotton cloth impregnated with dried calcium sulphate and suitable adhesive. The cotton cloth is gauze (Leno) weave in one continuous length containing no joints, bleached to a good white, clean and reasonably free from weaving defects, leaf and shell. The setting time is 115-155 seconds and the cast strength is 852-1155 gm/gm of bandage.
1.1.60	Crepe Bandages (7.5cm x 4m)	Cotton crepe bandage consists of characteristic fabric of plain weave. The warp threads are of two fold cotton threads with a count, after crepe twisting not finer than 45 tex, each containing not less than 17 folding turns per cm. The weft threads are of cotton, of viscose or of combined cotton and viscose yarn, with a count of not finer than 69 tex. The warp thread are arranged two threads S-twist and two threads Z-twist, repeated. The elasticity (percentage regain) is 45-70% (of fully stretched length)
1.1.61	Crepe Bandages (5cm x 4m)	Cotton crepe bandage consists of characteristic fabric of plain weave. The warp threads are of two fold cotton threads with a count, after crepe twisting not finer than 45 tex, each containing not less than 17 folding turns per cm. The weft threads are of cotton, of viscose or of combined cotton and viscose yarn, with a count of not finer than 69 tex. The warp thread are arranged two threads S-twist and two threads Z-twist, repeated. The elasticity (percentage regain) is 45-70% (of fully stretched length)
1.1.62	Roll Bandage (4cmx 4m)	Elastic securing bandage for fixation. It is a conforming bandage with crimped structure of fabric to ensure a secure non-slip fixation. The bandage is made up of viscose(29%) and polymide (29%) in warp and cotton (42%) in weft. Extensibility (%) stretch is not less than 125%
1.1.63	Roll Bandage (8cmx 4m)	Elastic securing bandage for fixation. It is a conforming bandage with crimped structure of fabric to ensure a secure non-slip fixation. The bandage is made up of viscose(29%) and polymide (29%) in warp and cotton (42%) in weft. Extensibility (%) stretch is not less than 125%
1.1.64	Mackintosh	1. Made of : Rubber Mackintosh Sheet/Rubber Sheet / Rubber Mat / Hospital Sheet is made of high quality soft rubber. 2. Size : One Roll of 10 meters.



Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

2.1.2	X-Ray intensifying screen	12" x 15", 8" x 10', 10" x 12" & 6.5" x 8.5"
2.1.2	X-ray hanger stainless steel	12" x 15", 10" x 12", 8" x 10" & 6.5" x 8.5"
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	Carestream Ascend DR Digital Detector (FOCUS 35C Detector for DR)
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	14" x 17" Fuji Cassettes (FUJI FCR, FUJI IP Cassette – Type CC)
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	10" x 12" Fuji Cassettes (FUJI FCR, FUJI IP Cassette – Type CC)
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	8" x 10" Fuji Dry Pro Film (Model No: DI-HT)
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	14" x 17" Fuji Dry Pro Film (Model No: DI-HT)
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	8" x 10" Carestream Kodak Film Dryview DVE, Laser Imaging Film
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	14" x 17" Carestream Kodak Film Dryview DVE, Laser Imaging Film
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	X-Ray Thyroid Shield
2.1.4	Dental Film	<ol style="list-style-type: none"> 0.175 mm thick polyester provided with a double-sided protective and antistatic layer. Double-emulsion high speed non screen X-rayfilm (ISO Class E) with a high contrast and fine grain. Size : Size 0: 22 mm x 35 mm or 7/8" x 1-3/8" Size 1: 24 mm x 40 mm or 15/16" x 1-9/16" Size 2: 30.5 mm x 40.5 mm or 1-1/4" x 1-5/8"
2.1.5	Dental X-Ray Developer	<ol style="list-style-type: none"> X-Ray Fixer pH: 8 Base Material: Photo Grade Water Soluble. Machine Dry to Dry Time Cycle: 120 sec Processing Temperature: 25 deg cel Processing specification: 4 min: 18 deg cel 3.5 min: 20 deg cel 3 min : 22 deg cel 2.5 min: 24 deg cel 2 min: 26 deg cel 1.5 min: 28 deg cel.
2.1.6	Dental X-Ray Fixer	<ol style="list-style-type: none"> Composition : Sodium/ammonium thiosulfate (fixing agent), potassium alum (hardener), Sulfuric/acetic acid (Acidifier). Indicated for fixation of the radiographic image on x-ray film. Direction of use: 750ml water at 30° to 40° C in a glass or plastic vessel.Add the chemical of larger packet in it and stir well.Add the chemical of smaller packet to dissolve it completely.Add 250ml water (30° to 40° C) to make the solution 1 litre.
2.1.7	CT SCAN	<p>14" X 17" Konica Dry Pro Imaging Film</p> <p>14" x 17" Kodak Dry view Laser Imaging Film</p> <p>Non-Ionic Water Soluble Contrast Media (Iohexol Injection USP) 100ml CT View 350</p> <p>Non-Ionic Water Soluble Contrast Media (Iodixanol Injection USP) 100ml Visipaque 320 mg Iodine/mL</p> <p>Diatrizoate Sodium Solution USP (Gastrovideo) 30ml</p>



Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

		Polyethylene Glycol with Electrolytes for Oral Solution (Pegleg) 137.15g
2.1.8	USG Jelly	<p>1. Specification: Microbiologically pure Transparent colour Hypoallergenic Water soluble Dermatologically tested Neutral pH</p> <p>2. Ingredients : Polyacrylate base, preservatives, purified water.</p> <p>3. Fragrance free, Salt free, Colorants free.</p> <p>4. Medical quality with CE mark</p>
2.1.9	Thermal Printing Paper – High Glossy (Type V) Size 110mm x 18m	<p>1. The base paper is coated by a thermal layer.</p> <p>2. The precoat layer improves heat insulation, smoothness, uniformity, and anchoring of the thermal layer.</p> <p>3. Thermal Layer is to produce images with a thermal reaction. In practice, the paper turns black in the heated areas due to this layer with chemicals like dye, developer, and sensitizer.</p> <p>4. A topcoat layer is applied to the thermal layer when high durability of the thermal printing image is needed. This layer protects the thermal layer from water, oil, solvent, humidity, scratches, etc.</p> <p>5. The backcoat layer is applied for de-curling, antistatic electricity treatment, and back-barrier against adhesive.</p> <p>6. Size: Small POS terminal: 57mmx30mm, 57mmx38, 57mmx40mm, 57mmx50mm, 2 1/4x50ft Thermal printer: 80mmx80mm, 80mmx70mm, 80mmx60mm, 76mmx76mm, 110mmx100mm, 3 1/8x200ft, 3 1/8x230ft</p>
2.1.10	Computersied Radiographic Films Konica	14 x 17 & 10' x 12'
2.1.10	Computersied Radiographic Cassette Konica	14 x 17 & 10' x 12'
2.1.10	Computersied Radiographic X-Ray intensifying screen	14 x 17 & 10' x 12'
2.1.10	For CONVENTIONAL RADIOGRAPHIC MACHINE	10" x 12" Film, 6" x 8" Film, 12" x 15" Film & 8" x 10" Film
4.1.1	Scalp vein set	18G-25G
4.1.2	I.V. Cannula with Port 18G, 20G, 22G	with 4 radio opaque x-ray line
4.1.3	I.V. Cannula with Port 24G	with 4 radio opaque x-ray line
4.1.4	I.V. Cannula without port 24G , 26G	with 4 radio opaque x-ray line
4.1.5	Sterile Surgical Gloves Powdered - Size 6 , 6.5 , 7, 7.5	Sterile Latex Surgical Gloves Powdered; ISI/CE marked, Sterilized by ETO; Thickness Minimum 0.1mm.Safety: EN 455 part 1-4
4.1.6	Sterile Surgical Gloves Powder Free - Size 6 , 6.5 , 7, 7.5	Superior quality granular surface powder free polymer coated non allergenic latex rubber surgical Gloves. ISI/CE marked. Sterilized by ETO. Non Chlorinated.
4.1.7	Sterile Surgical Gloves Gynaecology (Elbow Length) Powder Free	Sterile Latex Gynaecological Gloves Powder Free; ISO 13485 : 2016 ; Length 450mm. Thickness Minimum 0.1mm.
4.1.8	Non-Sterile Examination Gloves Nitrile - Powder Free Size : Small , Medium , Large 100pcs/box	Powder Free, Latex Free. Coloured Gloves. Thickness 0.07mm and above.
4.1.9	Micro Drip Infusion Set	Micro drip set with reduced drop size to 60 drops/ml. Nontoxic, clear transparent PVC material. 15 micron disc type fluid filter. In built preventive bacterial air vent. Presence of Y type injection port, Tube length 150 cm. Secure luer lock for better fitment



Approved By Shri Ramkumar S.(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

4.1.10	Uro Bag	Urine Collection bag,upper outlet Adult/paed made of soft chemical grade PVC sheetup,& kink resistant 90cm tube & tapered connector
4.1.11	Infusion set	Non-vented I.V set model from non-toxic PVC material soft & kink resistant of standard tube length 150cms microfilter in deep Chamber +21G needle sharp spike for Piercing i.v Container
4.1.13	Disposable Insulin Syringe 1ml with Needle	Single Use Hypodermic Sterile Insulin Syringe. Interior of each syringe is Sterile unless
4.1.14	Disposable Luer Slip Syringe 1ml with Needle	medical grade plastic (Polyethylene (PE)/ polypropylene (PP)/ polystyrene (PS). Sterile, (ethylene oxide sterilization and compiles to ISO 11135:2019). Product and packaging conform to ISO 7886-1:2017, ISO 11135:2019.
4.1.15	Disposable Luer Slip Syringe 2ml with Needle	
4.1.16	Disposable Luer Slip Syringe 5ml with Needle	
4.1.17	Disposable Luer Slip Syringe 10ml with Needle	
4.1.18	Disposable Luer Slip Syringe 20ml with Needle	
4.1.19	Disposable Luer Slip Syringe 50ml without Needle	
4.1.20	Disposable Luer Lock Syringe 2ml with Needle	
4.1.21	Disposable Luer Lock Syringe 5ml with Needle	
4.1.22	Disposable Luer Lock Syringe 10ml with Needle	
4.1.23	PIVC Systems	
4.1.24	Disposable Needle 16G , 18G , 20G, 21G, 22G , 23G, 24G, 26G	Made with non-toxic, medical grade Polypropylene compatible with injectable. ISO/CE certification.
4.1.27	Transparent Film 5cm x 10mtrs	Waterproof and a barrier to bacteria. Its high moisture vapour permeability allows the skin to breathe. The acrylic adhesive minimises the risk of skin damage on removal, especially after long periods of wear 5cmx10mtr
4.1.29	Oxygen Mask	Oxygen mask with nose clip and star lumen tube
4.1.30	Twin Bore Nasal Oxygen Cannula	Length of the oxygen tube: +/-2 m. Material: Preferably soft and kink resistant polyvinyl chloride (PVC). Set a flow rate of 1-2 l/min (0.5 l/min for young infants) to deliver an inspired oxygen concentration of 30-35%.
4.1.31	Safety AV Fistula Needles	Fixed wings & safety guard to prevent Needle Stick Injuries
4.1.32	Oncology Set	Specialised chemotherapy set. Integrated 0.2 micron filter to ensure filtration of microbes. Presence of needle free Y injection port. Luer lock connector. Compatible with all infusion pumps
4.1.33	Photosensitive Drugs Set	I.V.Infusion Set for Photosensitive Drugs(Amber Colour), DEHP free tubing, special priming filter ensures that the line fills automatically (auto prime) thus maintains closed system until connected
4.1.34	Blood Lines	Soft & Kink resistant tubing available in pre pump & post pump configuration



Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

4.1.35	Blood Tubing Set	Assuring Compatibility with Most Types of Hemodialysis Machines. Bloodline Tube : Medical grade PVC tube (TOTM is available). Injection Site : Large finger guard. Drip Chamber : Available various diameter sizes. Clamp : Clamps to secure blocking performance. Recirculation Connector : The simplicity and safety for priming operation. Sterilization : ETO / Steam / Gamma
4.1.36	Gudewire	Core-to-tip design providing a 1:1 torque ratio. A nitinol alloy core for optimal performance and kink resistance. Shape retention for consistent reliability throughout a procedure. Tungsten-infused polyurethane jacket provides superior tip and wire radiopacity. Dimension : Diameter 0.018", Angled Tip Shape , Total length: 80/150/180/260 cm. Diameter 0.018", Straight Tip Shape, Total Length: 150/180/260 cm. Diameter 0.025", Straight/Angled Tip Shape, Total Length: 150/180/260 cm. Diameter 0.032", Straight/Angled Tip Shape, Total Length: 150 cm. Diameter 0.035", Straight Tip Shape, Total Length: 150/180/260 cm. Diameter 0.035", Angled Tip Shape, Total Length: 80/120/150/180/260 cm. Diameter 0.038", Angled Tip Shape, Total Length: 80/120/150/180/260 cm. Diameter 0.038", Straight Tip Shape, Total Length: 150/180/260 cm. Type of Guidewire: Standard/Stiff/Long Taper/1 cm Taper/J-Tip/
4.1.37	Introducer Needle	Tapered hub inner diameter facilitates insertion of the guide wire smoothly. Length- 45mm Size 14 gauge, 18G.
4.1.38	Transducer Protector	Excellent filter with blood blocking performance. 0.1µm filter for viral blocking. Sterilization : ETO
4.1.39	Administration Set for Blood Tubing Set	Easy to use for priming and rinse back. Kink free and clear tube
4.1.40	Hemodialysis Catheter (Double Lumen) 11.5 Fr , 12Fr Straight ,	Double Lumen Dialysis Catheter made up of bio compatible polyurethane material with soft & beveled tip,soft flexible J tip guide wire size 0.035 x50 with dispenser ,Size 11.5 FR (straight)12.5-13/15/20 cm , 2 dilators 12 FR & 10 FR,injection cap, radio opaque catheter with clear and definite markings , long handle scalpel
4.1.42	Sterile Single use Scalpel	Stainless steel surgical blades mounted on ABS plastic handle with fluted finger grips and the blades are safely protected by LDPE guard . ISO/CE/ISI Certified
4.1.43	Retractable Scalpel	Retractable safety sheath covers blade to prevent injury. ABS plastic handles for firm grip. Stainless-Steel Blade. ISO/CE.ISI Certified
4.1.44	Low-Adherent Absorbent Polyester Sterile 10cm c 20cm	A polyester wound contact layer,A cotton central viscose high absorbent layer & outer hydrophobic capacity on a weight for weight basis.highly conformable and can be cut to shape.provides cushioning & conform for patient.
4.1.45	Low-Adherent Absorbent Polyester Sterile 50cm x 7m	A polyester wound contact layer,A cotton central viscose high absorbent layer & outer hydrophobic capacity on a weight for weight basis.highly conformable and can be cut to shape.provides cushioning & conform for patient.



Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

4.1.46	Precision Infusion Set	IV set with flow controller. Wide dial operates as thumb wheel like roller clamp. Presence of security door prevents accidental change of flow rates. Reliable ergonomic set. Presence of Y type injection port
4.1.47	Transparent Wound Dressing for Infection Control 5cmX7cm	Transparent, Waterproof , Bacteria Proof thin Polyurethane Film and Hydropolymers Wound Pad with free zones having soft acrylic adhesive. Stays in place for 14 days
4.1.48	Transparent Wound Dressing for Infection Control 10cmX24cm	Transparent, Waterproof , Bacteria Proof thin Polyurethane Film and Hydropolymers Wound Pad with free zones having soft acrylic adhesive. Stays in place for 14 days
4.1.49	Transparent Wound Dressing for Infection Control 10cmX35cm	Transparent, Waterproof , Bacteria Proof thin Polyurethane Film and Hydropolymers Wound Pad with free zones having soft acrylic adhesive. Stays in place for 14 days
4.1.50	Surgical Post Operative Dressing 8 cm X 15 cm	Innovative Surgical Post Operative Dressing coated with Proprietary Dialkylcarbamoyl chloride (DACCTM) technology impregnated acetate tissue with absorbent pad and transparent film border. Hydrophobic interaction irreversibly binds bacteria and fungi rendering them inactive preventing toxin release and replication. Binds 108 bacteria within 2 hours even virulent bacteria like MRSA and VRE. With this technology no known cytotoxicity, resistance and systemic absorption
4.1.51	Surgical Post Operative Dressing 10 cm X 25 cm	Innovative Surgical Post Operative Dressing coated with Proprietary Dialkylcarbamoyl chloride (DACCTM) technology impregnated acetate tissue with absorbent pad and transparent film border. Hydrophobic interaction irreversibly binds bacteria and fungi rendering them inactive preventing toxin release and replication. Binds 108 bacteria within 2 hours even virulent bacteria like MRSA and VRE. With this technology no known cytotoxicity, resistance and systemic absorption
4.1.52	Pre Padded Synthetic Splint 10cm x 40cm (Precut)	Pre Padded Single Inter Locked knitted Slab of atleast 7 layers of Fiberglass, impregnated with Polyurethane Resin (Synthetic Substrate). Made with Inter Locking Performance(ILP Technology) for durable & Light weight splint with Double side padding.
4.1.53	Pre Padded Synthetic Splint 12.5cm x 76cm (Precut)	Pre Padded Single Inter Locked knitted Slab of atleast 7 layers of Fiberglass, impregnated with Polyurethane Resin (Synthetic Substrate). Made with Inter Locking Performance(ILP Technology) for durable & Light weight splint with Double side padding.
4.1.54	Elisio 13M	Dialyzer with Surface Area 1.3(Meter square) made up of Polysulfone Membrane, A symmetric membrane, openable Cap, Potting compound- polyurethane, KUF* (ml/h*mmHg)=12, Wall thickness/Lumen=40/200 ,Sterilization - Gamma, TMP Max. mmHg=600 with priming volume=79ml, Housing made up of polycarbonate.Removable Barcode Label
4.1.55	Water Resistant Cast Padding 7.5cm x 2.4m (Padding)	Water resistant cast padding made up of POLYPROPYLENE, NYLON and POLYESTER combined fibre in a 3D knit.Open Knit structure allows water to drain quickly.
4.1.56	Water Resistant Cast Padding 10cm x 2.4m (Padding)	Water resistant cast padding made up of POLYPROPYLENE, NYLON and POLYESTER combined fibre in a 3D knit.Open Knit structure allows water to drain quickly.
4.1.57	Hydrogen Peroxide Canister 160pcs	1.4% w/v Hydrogen Peroxide & 0.01% w/v Silver Nitrate



Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

4.1.58	Polyster Cast (Rigid) 10cmx3.6m	Latex Free Poly Propylene (Polyster) Casting Tape, with 3 Dimensional Stretch ability. Finished Cast to be Moisture Resistant, Translucent, Lightweight, Strong, Porus.Working Time 0-3 min,Set Time 3-5min, weight bearing within 20min. Easily Removable with cast saw.
4.1.59	Polyster Cast (Rigid) 12.5cmx3.6m	Latex Free Poly Propylene (Polyster) Casting Tape, with 3 Dimensional Stretch ability. Finished Cast to be Moisture Resistant, Translucent, Lightweight, Strong, Porus.Working Time 0-3 min,Set Time 3-5min, weight bearing within 20min. Easily Removable with cast saw.
4.1.60	DEHP Free Paediatric Measured Volume Set	Equipped with micro drip with reduced drop size to 60 drops/ml. Burette chamber capacity of 100ml and extra 10 ml overflow limit. Presence of floating auto shut valve. Kink resistance DEHP free tubing. High quality latex bulb for additional Medication & luer slip connector
4.1.61	DEHP Free Measured Volume Set	Equipped with micro drip with reduced drop size to 60 drops/ml. Burette chamber capacity of 150 ml. Presence of floating auto shut valve. Kink resistance DEHP free tubing. 100% latex free set with Y injection port. Manufactured with USP Class VI approved PETG Material for infusion of all types of fluid. Sharp spike within built air inlet with microbial barrier filter. Roller type flow controller
4.1.62	Pressure Infusion Bag	Heavy duty pressure cuff suitable upto 400mm of HG. Instant venting through 3way stop cock. Presence of Squeeze bulb for easy operation. Sterile individual packing. Robust pressure cuff for faster fluid transfer
4.1.63	IV Infusion Kit	IV infusion Kit for easy access during emergency. Consists of Vented IV set. With 18/20/22 G IV Cannula. Consists of One cannula fixture. 5 or 10 ml disposable syringe for easy flashings. Presence of adhesive tape
4.1.64	IV Extension Line with Syringe	IV Extension Line with Three Female Luer Lock. Needle Free Port at one End & Rotating Nut Male Leur Lock Port at other end with Leur Lock Syringe 5ml
4.1.65	Blood Transfusion Kit	Blood administration Set Standard non-vented, Cannula, Fixator, Syringe, Alcohol Swab, Site Protection Tab
4.1.68	Oxidized Regenerated Cellulose	4in x 4in (10.2 cm x 10.2 cm)
4.1.69	Absorbable Gelatin Sponge standard	80 mm x 50 mm x 10 mm
4.1.70	Wash Mitts 10Mitts / Pack	Aqua, Glycerine, Cocamidopropylamine Oxide, Sodium Lactate, Allantoin, Octenidine HCL , Ethylhexyl Glycerine
4.1.71	Skin staplers applicator + remover Ergonomic design so that at application the tip is well The head should be angled.Made of 316 L SS pins with sharp cut edges.Loaded with 35 wide pins in a transparent housing. Centre indicator for alignment.Indicate if amenable to H2O2 plasma sterilization	
4.1.73	Medicated Tulle Gras Sterile Size 10 x 30cm Pouch	Sterile medicated paraffin tulle gras dressing made from open weave leno gauze, impregnated with soft paraffin containing 0.5% chlorhexidine acetate BP. Effective against a wide range of gram positive and some negative organisms including MRSA.



Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

4.1.74	Nanocrystalline Anti Microbial Silver Dressing 20cm x 20cm	Nano crystalline silver with Silcyst technology , sustained release of silver for 7 days, polyester mesh with an open weave structure, low adherent wound contact layer, flexible with stretch properties, compatible with NPWT therapy, Effective against 150 Pathogens including MRSA, VRE. Size-
4.1.75	Nanocrystalline Anti Microbial Silver Dressing 40cm x 40cm	Nano crystalline silver with Silcyst technology , sustained release of silver for 7 days, polyester mesh with an open weave structure, low adherent wound contact layer, flexible with stretch properties, compatible with NPWT therapy, Effective against 150 Pathogens including MRSA, VRE.
4.1.76	Universal Medical Devices Wipes 100pcs Pack	100g Solution contains : 17.4g Propan-2-ol, 12.6g ethanol (94% w/w)
4.1.77	Bed Sore Prevention Kit	280cm(L), 90cm(W), 6.5cm(H)
4.1.78	Sterile Absorbent Film Pad 15.5cm x 8.5cm	Adhesive film dressing with absorbent pad- sterile, moisture vapour transition rate (MVTR) of 11000gm/m square/24hr@37C , waterproof top layer, round corner reduces occurrence of lifting or snagging., bacterial barrier against bacteria including MRSA.
4.1.79	Sterile Absorbent Film Pad 35cm x 10cm	Adhesive film dressing with absorbent pad- sterile, moisture vapour transition rate (MVTR) of 11000gm/m square/24hr@37C , waterproof top layer, round corner reduces occurrence of lifting or snagging., bacterial barrier against bacteria including MRSA.
4.1.80	Transparent Vapour Permeable Adhesive Film Dressing Sterile 7cm x 9cm	Moisture responsive catheter dressing with Grid Pattern (Pattern – Spread acrylic adhesive),Moisture vapoure transision rate-3000 to 11000 gm/m ² , Rectic film, transparent, Pull & release removal technology.
4.1.81	Transparent Vapour Permeable Adhesive Film Dressing Sterile 5cm x 6cm	Moisture responsive catheter dressing with Grid Pattern (Pattern – Spread acrylic adhesive),Moisture vapoure transision rate-3000 to 11000 gm/m ² , Rectic film, transparent, Pull & release removal technology.
4.1.82	Incise Drapes Sterile 25m X 50cm	Antimicrobial sterile theatre incise drape containing iodine consists of polyurethane film, coated with hypoallergenic acrylic adhesive, impregnated with PVP iodine , laminated with silicon paper, absence of natural latex in the product or its packaging .
4.1.83	Incise Drapes Sterile 30cm X 40cm	Antimicrobial sterile theatre incise drape containing iodine consists of polyurethane film, coated with hypoallergenic acrylic adhesive, impregnated with PVP iodine , laminated with silicon paper, absence of natural latex in the product or its packaging .
4.1.84	Incise Drapes Sterile 35cm X 60cm	Antimicrobial sterile theatre incise drape containing iodine consists of polyurethane film, coated with hypoallergenic acrylic adhesive, impregnated with PVP iodine , laminated with silicon paper, absence of natural latex in the product or its packaging .
9.1.103	Macro porus partially absorbable mesh made up of approximately equal parts of polypropylene monofilament fiber (6-0) and poliglecaprone 25 monofilament fiber (5-0) with pore size 2.7 mm having a weight of 39 g/m ² and containing blue orientation stripes of polypropylene 7.6X15cm	



9.1.104	Macro porous partially absorbable mesh made up of approximately equal parts of polypropylene monofilament fiber (6-0) and poliglecaprone 25 monofilament fiber (5-0) with pore size 2.7 mm having a weight of 39 g/m ² and containing blue orientation stripes of polypropylene 15X15cm	
9.1.106	Two-point absorbable Fixation device for Lap hernia repair. Trigger squeeze mechanical device with straight cannula, pre-loaded with 25 absorbable straps which are made of a blend of polydioxanone dyed with D&C Violet No. 2 and L(-)-lactide/Glycolide copolymer. Inserted length of strap should be 6.7 mm	
9.1.121	Oxidized Regenerated Cellulose based topical absorbable hemostat in powder form designed to address broad surface / multiple site continuous oozing and achieve faster hemostasis, with proven bactericidal efficacy and being absorbed in 1 -2 weeks. Approved by USFDA, available as 3gm powder in a ready to use prefilled device	

Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

**Sd/-
Managing Director, MMDSL
Meghalaya, Shillong**



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya
 प्रमुख कार्यालय

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

52. TECHNICAL BID:

Annexure – II

Item No.	Name of Items	Specifications	Name of Manufacturer	Indian / Imported/ Country of origin	Samples/ Catalogues and Compliance certificate YES/NO	Deviation to specifications if any with reason	Indicate Shelf life
1	2	3	4	5	6	7	8
1.1.1	Surgical Mask	Must Be Three Ply(3-ply bee>99%), Must conform with KEBS/ISO/CE Standards (Should conform BFE >=95%. & Should conform Breathing resistance < 29.4 Pa/cm2), Microbial cleanliness (CFU/g). ≤ 30.					
1.1.2	Surgical Cap	Disposable surgeon's Cap of PP non-woven + melt-blown + PP non-woven (25gsm), with back Elastic					
1.1.3	Corrugated Drainage Sheet	Sterile, 20x30cm, Disposable, Manufactured from non toxic, non irritant medical grade PVC.					
1.1.4	Aerosol Disinfectant	evaporation, 2-2.5 Ltrs. / Hour, Optimum result use formilin, 10-12 ml / Ltr, should sterilize 250 cu. meters (9000 cu. ft.) in just 30-60 minutes.					
1.1.5	Vacuum Drainage Set FG10/12/14/16/18	With below Unit size 800ml, Connecting tube with clamp and "Y" connector					
1.1.6	Respirometer	3 stage chamber ,transparent body,can be dismantled into base & ventral part,containing threee spheres with connecting tube & mouthpiece					
1.1.7	Thoracic Trocar/Catheter	Cather of PVC medical grade fitted over frocar with blunt Smooth Tip and Large Drainage Eyes,Proximal end with Connector					
1.1.8	Water Seal Chest Drainage System	(1200ml) Single Chamber					



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

1.1.9	ET Tube 2mm, 2.5mm, 3mm, 3.5mm, 4.0mm, 4.5mm, 5.0mm, 5.5mm (uncuffed)	Made with a non-DEHP plasticizer that does not contain phthalates				
1.1.10	ET Tube 3.5mm, 4.0mm, 4.5mm, 5mm, 5.5mm, 6mm, 6.5mm, 7mm, 7.5mm, 8mm, 8.5mm, 9mm, 9.5mm, 10mm (cuffed)	Made with a non-DEHP plasticizer that does not contain phthalates. Distal tip reference lines and depth marks assist in proper placement				
1.1.11	Ryles Tubes Size 6FG, 8FG, 10FG, 12FG, 14FG, 16FG, 18FG, 20FG	The tube should be marked at 50, 60 and 70 cm from the tip for accurate placement. Made up of non-toxic, non-irritant and kink resistant medical grade PVC				
1.1.12	Foley Catheter 2 Way Size 6 FG, 8FG, 10FG, 12FG, 14FG, 16FG, 18FG, 20FG, 22FG, 24FG;	Urethral catheter with balloon: Foley catheter 2-way with nelaton tip, Central channel for urinary drainage, straight rounded distal end with lateral eyes, proximal end with cup connector allowing catheter to be connected to urine bag, Side channel for inflating balloon, ending by a non-return valve with Luer tip connector, Diameter: CH10, Length: 20 - 30cm, Balloon capacity: 3 - 5ml				
1.1.13	Foley Catheter 3 Way Size 16 FG, 18FG, 20FG., 22FG, 24FG,	Ballon Capacity 30-50ml				
1.1.14	Foley Catheter 3 Way Size 18 FG	Ballon Capacity 30-50ml				
1.1.15	Malecot Catheters 10Fr, 12Fr, 14Fr, 16Fr, 18Fr, 20Fr, 22Fr, 24Fr, 26Fr, 28Fr	Virgin natural rubber with good flexibility and biocompatibility				
1.1.16	Plain Rubber Catheters 3Fr, 4Fr, 5Fr, 6Fr, 8Fr, 10Fr, 12Fr, 14Fr,	Virgin Natural Rubber with Good Flexibility and Bio Compatability				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**




Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

1.1.17	Urethral Dilators	Dialation dimension: 9/10/11/12/13/14/15/16mm or 8/10/12/14/16/18/20/22/24Fr, Length: 40cm					
1.1.18	Urethral Catheter 3F, 4F, 5F, 6F, 7F,	Round tip					
1.1.19	Absorbent Cotton Wool 500gms Net	Material: 100% cotton surgical grade, purified, bleached, and carded.					
1.1.20	Cotton Absorbent Gauze Cloth 18Mtrs	ISI Mark. 31gm/sq mtrs (+-5gms), Warp 75 Wefts 55 Threads / 10cm					
1.1.21	SMMS Wrapping Sheet	It should be single use, good strength, light weight, soft, effective bacterial barrier, wet penetration resistant and suitable for steam, Latex free, fluid repellent property. Products thickness should be 50gsm. Bacterial filtration efficiency with test report, validation reports, Certificates, MSDS. Confirms with EN868-2 & CE marked 150cm*150cm					
1.1.22	Inflatable Unilateral Without Airway	It should be single use, good strength, light weight, soft, effective bacterial barrier, wet penetration resistant and suitable for steam, Latex free, fluid repellent property. Products thickness should be 50gsm. Bacterial filtration efficiency with test report, validation reports, Certificates, MSDS. Confirms with EN868-2 & CE marked.					
1.1.24	Infant Feeding Tube Size 4FG, 5FG, 6FG, 7FG, 8FG, 9FG, 10FG,	Smooth coned distal end for atraumatic intubation with two lateral eyes for efficient drainage with Marking at 5-40cm from tip.					
1.1.25	Suction Catheter 5FG, 6FG, 8FG, 10FG, 12FG, 14FG, 16FG, 18FG,	Single channel tube. Proximal end with cup connector, conical tip, allowing the tube to be connected to devices such as suction pump system. Open distal end, straight, with two side windows.					
1.1.26	Intraosseous Needle for Paediatric						



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laltumkhich, New Colony,
 Shilong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 megmhds@gmail.com

1.1.27	Umbilical Catheter 3.5FG, 5FG, 5FG, 6FG, 8FG,	Material: non-toxic soft medical grade P.V.C. Markings at every cm to ascertain depth of insertion, radio opaque line ascertain position during scans Distal end is open with super smooth larger eyes to maximize the drainage from the chest. Proximal end is fitted with specially designed tapered tongue.				
1.1.28	Intercostal Drainage Catheter 12FG, 16FG, 20FG, 24FG, 28FG, 32FG, 36FG.					
1.1.29	Impregnated CHG 4% Sponge & Brush					
1.1.30	BP Cuff with Rubber Bag Adult & Child	Child, Small, Medium & Large Composed of a cuff containing an inflatable bag of single tube. The cuff is made of durable material (e.g. nylon), which is non-deformable, and washable at 30°C. The cuff is fitted with Velcro fastening, enabling a tight and secure fit around arms. The cuff is reinforced at both sides.				
1.1.31	BP Cuff with Rubber Bag Paediatric	Child, Small, Medium & Large Composed of a cuff containing an inflatable bag of single tube. The cuff is made of durable material (e.g. nylon), which is non-deformable, and washable at 30°C. The cuff is fitted with Velcro fastening, enabling a tight and secure fit around arms. The cuff is reinforced at both sides.				
1.1.32	Reinforced Interface Adherent	3 Mtrs				
1.1.33	Cold box, OP-1-31 lit	Cold Life: >30 hours at 2°C to 8°C in an ambient temperature of 43°C.				
1.1.34	Cold box, OP-1-28 lit	Cold Life: >30 hours at 2°C to 8°C in an ambient temperature of 43°C.				
1.1.35	Electric Steam Heater	Material: Virgin Polypropylene Regrind PP Power Consumption: 300w				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048985
 meghindsi@gmail.com

1.1.36	Overwrap Pad 50cm x 50cm								
1.1.37	Overwrap Pad 40cm x 40cm								
1.1.38	Mucus Sucker/Extractor	Suction Tube lengths available: 40 & 50 cm. Suction Tube sizes: From 6FG to 14FG.							
1.1.39	Umbilical Cord Clamp	Disposable sterile umbilical cord clamp, safe, effective and easy to apply.Safe security lock, with a click to indicate correct locking, to protect against accidental re-opening after clamping							
1.1.40	Kehr's "T" Tube 12FG , 14FG , 16FG	Medical Grade PVC made siliconised "T" tube for Common Bile Duct drainage.							
1.1.41	Abdominal Drainage Kit 20FG , 24FG , 28FG	Soft abdominal drainage catheter with collection bag of 2000 ml. capacity. Available with DEHP Free Material.							
1.1.42	Under Water Seal Drainage System (Adult) (Child)	Leak proof bag of 1000 ml capacity for adult & 500ml for child. Bag & tubing (Length 100cm) is made up of PVC.							
1.1.43	Umbilical Cotton Tape								
1.1.44	Abdominal Sponge	Made by BP 17 Type Gauze Cloth, 24 Thread in Warp, 17Thread in Weft,23 gms/m2 weight cloth. Good bleached finished and absorbent cloth							
1.1.45	Tetra Piece								
1.1.46	QAC Canister 20x15cm 100pcs								
1.1.47	Stretch Fixation Dressing	Hypo-allergenic polyacrylate adhesive adheres reliably. Transversely stretchable, Permeable to air and water vapour, Radiotransparent							



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 8863048955
 meghmdsi@gmail.com

1.1.48	Cardiac Electrode	Hypoallergenic, latex free, non-irritating, disposable electrodes meets and meets all AAMI performance specifications.					
1.1.49	Mop Swabs						
1.1.50	Kelly's Pad	Disposable absorbent Under buttock drape with fluid collection pouch Packed in Medical Grade Pouch. Made of laminated LDPE high-quality materials.					
1.1.51	Oxygen flowmeter	Needle valve and body constructed of brass or aluminium. Calibrated at 50-55 psi / 345-380 kPa / 3.4-3.8 bar inlet gauge pressure. Certification : CE and ISO 13485:2003 Medical devices, ISO 15002					
1.1.53	Adhesive Plaster (7.5cm x 5m)	100% cotton fabric coated with zinc oxide/hot melt adhesive.					
1.1.54	Adhesive Plaster (10cm x 10m)	100% cotton fabric coated with zinc oxide/hot melt adhesive.					
1.1.55	Perforated Transparent Hypoallergenic Adhesive Tape	Non-woven fabric, coated with Hypo allergenci polyacrylic adhesive. Tape is in roll form. Fabric is flexible - white colour, porous and easy to tear. The cast padding is white colour, practically odorless. Its sinking time is not more than 10 sec/gg of viscose pad and water holding capacity is not less than 18 sec/gg of viscose pad.					
1.1.56	Cast Padding 10 cm X 3mtr	The cast padding is white colour, practically odorless. Its sinking time is not more than 10 sec/gg of viscose pad and water holding capacity is not less than 18 sec/gg of viscose pad.					
1.1.57	Cast Padding 15 cm X 3mtr	The cast padding is white colour, practically odorless. Its sinking time is not more than 10 sec/gg of viscose pad and water holding capacity is not less than 18 sec/gg of viscose pad.					
1.1.58	Plaster of Paris 10 cm X 2.7 mtr	Cotton cloth impregnated with dried calcium sulphate and suitable adhesive. The cotton cloth is gauze (Leno) weave in one continuous length containing no					



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmids@gmail.com

1.1.59	Plaster of Paris 15 cm X 2.7 mtr	joints, bleached to a good white, clean and reasonably free from weaving defects, leaf and shell. The setting time is 115-155 seconds and the cast strength is 852-1155 gm/gm of bandage.				
1.1.60	Crepe Bandages (7.5cm x 4m)	Cotton cloth impregnated with dried calcium sulphate and suitable adhesive. The cotton cloth is gauze (Leno) weave in one continuous length containing no joints, bleached to a good white, clean and reasonably free from weaving defects, leaf and shell. The setting time is 115-155 seconds and the cast strength is 852-1155 gm/gm of bandage.				
1.1.61	Crepe Bandages (5cm x 4m)	Cotton crepe bandage consists of characteristic fabric of plain weave. The warp threads are of two fold cotton threads with a count, after crepe twisting not finer than 45 tex; each containing not less than 17 folding turns per cm. The weft threads are of cotton, of viscose or of combined cotton and viscose yarn, with a count of not finer than 69 tex. The warp thread are arranged two threads S-twist and two threads Z-twist, repeated. The elasticity (percentage regain) is 45-70% (of fully stretched length)				
1.1.62	Roll Bandage (4cm x 4m)	Cotton crepe bandage consists of characteristic fabric of plain weave. The warp threads are of two fold cotton threads with a count, after crepe twisting not finer than 45 tex, each containing not less than 17 folding turns per cm. The weft threads are of cotton, of viscose or of combined cotton and viscose yarn, with a count of not finer than 69 tex. The warp thread are arranged two threads S-twist and two threads Z-twist, repeated. The elasticity (percentage regain) is 45-70% (of fully stretched length)				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghinds@gmail.com

		secure non-slip fixation. The bandage is made up of viscose(29%) and polyamide (29%) in warp and cotton (42%) in weft. Extensibility (%) stretch is not less than 125%					
1.1.63	Roll Bandage (8cmx 4m)	Elastic securing bandage for fixation. It is a conforming bandage with crimped structure of fabric to ensure a secure non-slip fixation. The bandage is made up of viscose(29%) and polyamide (29%) in warp and cotton (42%) in weft. Extensibility (%) stretch is not less than 125%					
1.1.64	Mackintosh	1. Made of : Rubber Mackintosh Sheet/Rubber Sheet / Rubber Mat / Hospital Sheet is made of high quality soft rubber. 2. Size : One Roll of 10 meters.					
2.1.2	X-Ray intensifying screen	12" x 15", 8" x 10', 10" x 12" & 6.5" x 8.5"					
2.1.2	X-ray hanger stainless steel	12" x 15", 10" x 12", 8" x 10" & 6.5" x 8.5"					
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	Carestream Ascend DR Digital Detector (FOCUS 35C Detector for DR)					
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	14" x 17" Fuji Cassettes (FUJI FCR, FUJI IP Cassette – Type CC)					
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	10" x 12" Fuji Cassettes (FUJI FCR, FUJI IP Cassette – Type CC)					
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	8" x 10" Fuji Dry Pro Film (Model No: DI-HT)					



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

2.1.3	(Digital Radiography + Computed Radiography) X-RAY	14" x 17" Fuji Dry Pro Film (Model No: DI-HT)				
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	8" x 10" Carestream Kodak Film Dryview DVE, Laser Imaging Film				
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	14" x 17" Carestream Kodak Film Dryview DVE, Laser Imaging Film				
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	X-Ray Thyroid Shield				
2.1.4	Dental Film	1. 0.175 mm thick polyester provided with a double- sided protective and antistatic layer. 2. Double-emulsion high speed non screen X-rayfilm (ISO Class E) with a high contrast and fine grain. 3. Size : Size 0: 22 mm x 35 mm or 7/8" x 1-3/8" Size 1: 24 mm x 40 mm or 15/16" x 1-9/16" Size 2: 30.5 mm x 40.5 mm or 1-1/4" x 1-5/8"				
2.1.5	Dental X-Ray Developer	1. X-Ray Fixer pH: 8 2. Base Material: Photo Grade 3. Water Soluble. 4. Machine Dry to Dry Time Cycle: 120 sec 5. Processing Temperature: 25 deg cel 6. Processing specification: 4 min: 18 deg cel 3.5 min: 20 deg cel 3 min : 22 deg cel 2.5 min: 24 deg cel 2 min: 26 deg cel 1.5 min: 28 deg cel.				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Department of Health & Family Welfare,
 DHS Complex, Latukhreh, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

2.1.6	Dental X-Ray Fixer	<p>1. Composition : Sodium/ammonium thiosulfate (fixing agent), potassium alum (hardener), Sulfuric/acetic acid (Acidifier).</p> <p>2. Indicated for fixation of the radiographic image on x-ray film.</p> <p>3. Direction of use: 750ml water at 30° to 40° C in a glass or plastic vessel. Add the chemical of larger packet in it and stir well. Add the chemical of smaller packet to dissolve it completely. Add 250ml water (30° to 40° C) to make the solution 1 litre.</p>				
2.1.7	CT SCAN	<p>14" X 17" Konica Dry Pro Imaging Film</p> <p>14" x 17" Kodak Dry view Laser Imaging Film</p> <p>Non-Ionic Water Soluble Contrast Media (Iohexol Injection USP) 100ml CT View 350</p> <p>Non-Ionic Water Soluble Contrast Media (Iodixanol Injection USP) 100ml Visipaque 320 mg Iodine/mL</p> <p>Diatrizoate Sodium Solution USP (Gastrovideo) 30ml</p> <p>Polyethylene Glycol with Electrolytes for Oral Solution (Pegleg) 137.15g</p>				
2.1.8	USG Jelly	<p>1. Specification: Microbiologically pure Transparent colour Hypoallergenic Water soluble Dermatologically tested Neutral pH</p> <p>2. Ingredients : Polyacrylate base, preservatives.</p>				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**




Department of Health & Family Welfare,
 DHS Complex, Laitumhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

2.1.9	Thermal Printing Paper – High Glossy (Type V) Size 110mm x 18m	<p>purified water.</p> <p>3. Fragrance free, Salt free, Colorants free. 4. Medical quality with CE mark</p> <p>1. The base paper is coated by a thermal layer. 2. The precoat layer improves heat insulation, smoothness, uniformity, and anchoring of the thermal layer. 3. Thermal Layer is to produce images with a thermal reaction. In practice, the paper turns black in the heated areas due to this layer with chemicals like dye, developer, and sensitizer. 4. A topcoat layer is applied to the thermal layer when high durability of the thermal printing image is needed. This layer protects the thermal layer from water, oil, solvent, humidity, scratches, etc. 5. The backcoat layer is applied for de-curling, antistatic electricity treatment, and back-barrier against adhesive. 6. Size: Small POS terminal: 57mmx30mm, 57mmx38, 57mmx40mm, 57mmx50mm, 2 1/4x50ft Thermal printer: 80mmx80mm, 80mmx70mm, 80mmx60mm, 76mmx76mm, 110mmx100mm, 3 1/8x200ft, 3 1/8x230ft</p>				
2.1.10	Computersied Radiographic Films Konica	14 x 17 & 10' x 12'				
2.1.10	Computersied Radiographic Cassette Konica	14 x 17 & 10' x 12'				
2.1.10	Computersied Radiographic X-Ray intensifying screen	14 x 17 & 10' x 12'				
2.1.10	For CONVENTIONAL RADIOGRAPHIC MACHINE	10" x 12" Film, 6" x 8" Film, 12" x 15" Film & 8" x 10" Film				



**MEGHALAYAN
MEDICAL DRUGS &
SERVICES LIMITED**




Government of Meghalaya

Department of Health & Family Welfare,
DHS Complex, Laitumkhrah, New Colony,
Shillong - 793003,
East Khasi Hills,
Meghalaya - 793003
+91-9863033404 / 9863048955
meghmds@gmail.com

		18G-25G				
4.1.1	Scalp vein set					
4.1.2	I.V. Cannula with Port 18G, 20G, 22G		with 4 radio opaque x-ray line			
4.1.3	I.V. Cannula with Port 24G		with 4 radio opaque x-ray line			
4.1.4	I.V. Cannula without port 24G, 26G		with 4 radio opaque x-ray line			
4.1.5	Sterile Surgical Gloves Powdered - Size 6, 6.5, 7, 7.5		Sterile Latex Surgical Gloves Powdered; ISI/CE marked, Sterilized by ETO; Thickness Minimum 0.1mm. Safety: EN 455 part 1-4			
4.1.6	Sterile Surgical Gloves Powder Free - Size 6, 6.5, 7, 7.5		Superior quality granular surface powder free polymer coated non allergenic latex rubber surgical Gloves. ISI/CE marked. Sterilized by ETO. Non Chlorinated.			
4.1.7	Sterile Surgical Gloves Gynaecology (Elbow Length) Powder Free		Sterile Latex Gynaecological Gloves Powder Free; ISO 13485 : 2016 ; Length 450mm. Thickness Minimum 0.1mm.			
4.1.8	Non-Sterile Examination Gloves Nitrile - Powder Free Size : Small , Medium , Large 100pcs/box		Powder Free, Latex Free. Coloured Gloves. Thickness 0.07mm and above.			
4.1.9	Micro Drip Infusion Set		Micro drip set with reduced drop size to 60 drops/ml. Nontoxic, clear transparent PVC material. 15 micron disc type fluid filter. In built preventive bacterial air vent. Presence of Y type injection port, Tube length 150 cm. Secure luer lock for better fitment			
4.1.10	Uro Bag		Urine Collection bag,upper outlet Adult/paed made of soft chemical grade PVC sheeup.& kink resistant 90cm tube & tapered connector			
4.1.11	Infusion set		Non-vented I.V set model from non-toxic PVC material soft & kink resistant of standard tube length 150cms			



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmdsi@gmail.com

		microfilter in deep Chamber +21G needle sharp spike for Piercing i.v Container							
4.1.13	Disposable Insulin Syringe 1ml with Needle	Single Use Hypodermic Sterile Insulin Syringe. Interior of each syringe is Sterile unless							
4.1.14	Disposable Luer Slip Syringe 1ml with Needle	medical grade plastic (Polyethylene (PE)/ polypropylene (PP)/ polystyrene (PS). Sterile, (ethylene oxide sterilization and complies to ISO 11135:2019). Product and packaging conform to ISO 7886-1:2017, ISO 11135:2019.							
4.1.15	Disposable Luer Slip Syringe 2ml with Needle								
4.1.16	Disposable Luer Slip Syringe 5ml with Needle								
4.1.17	Disposable Luer Slip Syringe 10ml with Needle								
4.1.18	Disposable Luer Slip Syringe 20ml with Needle								
4.1.19	Disposable Luer Slip Syringe 50ml without Needle								
4.1.20	Disposable Luer Lock Syringe 2ml with Needle								
4.1.21	Disposable Luer Lock Syringe 5ml with Needle								
4.1.22	Disposable Luer Lock Syringe 10ml with Needle								
4.1.23	PVC Systems								



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya
 DISH
 DISH

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrh, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

4.1.24	Disposable Needle 16G , 18G , 20G, 21G, 22G , 23G, 24G, 26G	Made with non-toxic, medical grade Polypropylene compatible with injectable. ISO/CE certification.				
4.1.27	Transparent Film 5cm x 10mtrs	Waterproof and a barrier to bacteria. Its high moisture vapour permeability allows the skin to breathe. The acrylic adhesive minimises the risk of skin damage on removal, especially after long periods of wear 5cmx10mtr				
4.1.29	Oxygen Mask	Oxygen mask with nose clip and star lumen tube				
4.1.30	Twin Bore Nasal Oxygen Cannula	Length of the oxygen tube: +/-2 m. Material: Preferably soft and kink resistant polyvinyl chloride (PVC). Set a flow rate of 1-2 l/min (0.5 l/min for young infants) to deliver an inspired oxygen concentration of 30-35%. Fixed wings & safety guard to prevent Needle Stick Injuries				
4.1.31	Safety AV Fistula Needles	Specialised chemotherapy set. Integrated 0.2 micron filter to ensure filtration of microbes. Presence of needle free Y injection port. Luer lock connector. Compatible with all infusion pumps				
4.1.32	Oncology Set	I.V. Infusion Set for Photosensitive Drugs (Amber Colour), DEHP free tubing, special priming filter ensures that the line fills automatically (auto prime) thus maintains closed system until connected				
4.1.33	Photosensitive Drugs Set	Soft & Kink resistant tubing available in pre pump & post pump configuration				
4.1.34	Blood Lines	Assuring Compatibility with Most Types of Hemodialysis Machines. Bloodline Tube : Medical grade PVC tube (TOTM is available). Injection Site : Large finger guard. Drip Chamber : Available various diameter sizes. Clamp : Clamps to secure blocking				
4.1.35	Blood Tubing set (BTS)					



**MEGHALAYAN
MEDICAL DRUGS &
SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
DHS Complex, Laitumkhrah, New Colony,
Shillong - 793003,
East Khasi Hills,
Meghalaya - 793003
+91-9863033404 / 9863048955
meghmids@gmail.com

		<p>performance. Recirculation Connector : The simplicity and safety for priming operation. Sterilization : ETO / Steam / Gamma</p>			
<p>4.1.36 Guidewire</p>		<p>Core-to-tip design providing a 1:1 torque ratio. A nitinol alloy core for optimal performance and kink resistance. Shape retention for consistent reliability throughout a procedure. Tungsten-infused polyurethane jacket provides superior tip and wire radiopacity.</p> <p>Dimension :</p> <p>Diameter 0.018", Angled Tip Shape , Total length: 80/150/180/260 cm.</p> <p>Diameter 0.018", Straight Tip Shape, Total Length: 150/180/260 cm.</p> <p>Diameter 0.025", Straight/Angled Tip Shape, Total Length: 150/180/260 cm.</p> <p>Diameter 0.032", Straight/Angled Tip Shape, Total Length: 150 cm.</p> <p>Diameter 0.035", Straight Tip Shape, Total Length: 150/180/260 cm.</p> <p>Diameter 0.035", Angled Tip Shape, Total Length: 80/120/150/180/260 cm.</p> <p>Diameter 0.038", Angled Tip Shape, Total Length: 80/120/150/180/260 cm.</p> <p>Diameter 0.038", Straight Tip Shape, Total Length: 150/180/260 cm.</p> <p>Type of Guidewire: Standard/Stiff/Long Taper/1 cm Taper/J-Tip/</p>			
<p>4.1.37 Introducer Needle</p>		<p>Tapered hub inner diameter facilitates insertion of the guide wire smoothly.</p> <p>Length- 45mm Size 14 guaze, 18G.</p>			
<p>4.1.38 Transducer Protector</p>		<p>Excellent filter with blood blocking performance. 0.1µm filter for viral blocking. Sterilization : ETO</p>			



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumbeah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

4.1.39	Administration Set for Blood Tubing Set	Easy to use for priming and rinse back. Kink free and clear tube					
4.1.40	Hemodialysis Catheter (Double Lumen) 11.5 Fr , 12Fr Straight ,	Double Lumen Dialysis Catheter made up of bio compatible polyurethane material with soft & beveled tip,soft flexible J tip guide wire size 0.035 x50 with dispenser ,Size 11.5 FR (straight)12.5-13/15/20 cm , 2 dilators 12 FR & 10 FR, injection cap, radio opeque catheter with clear and definite markings , long handle scalpel					
4.1.42	Sterile Single use Scalpel	Stainless steel surgical blades mounted on ABS plastic handle with fluted finger grips and the blades are safely protected by LDPE guard . ISO/CE/ISI Certified					
4.1.43	Retractable Scalpel	Retractable safety sheath covers blade to prevent injury. ABS plastic handles for firm grip. Stainless-Steel Blade. ISO/CE/ISI Certified					
4.1.44	Low-Adherent Absorbent Polyester Sterile 10cm c 20cm	A polyester wound contact layer,A cotton central viscose high absorbent layer & ouuter hydrophobic capacity on a weight fot weight basis.highly conformable and can be cut to shape.provides cushioning & conform for patient.					
4.1.45	Low-Adherent Absorbent Polyester Sterile 50cm x 7m	A polyester wound contact layer,A cotton central viscose high absorbent layer & ouuter hydrophobic capacity on a weight fot weight basis.highly conformable and can be cut to shape.provides cushioning & conform for patient.					
4.1.46	Precision Infusion Set	IV set with flow controller. Wide dial operates as thumb wheel like roller clamp. Presence of security door prevents accidental change of flow rates. Reliable ergonomic set. Presence of Y type injection port					
4.1.47	Transparent Wound Dressing for Infection Control 5cmX7cm	Transparent, Waterproof , Bacteria Proof thin Polyurethane Film and Hydropolymers Wound Pad with free zones having soft acrylic adhesive. Stays in place for 14 days					



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**




Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-986303404 / 9863048955
 meghmds@gmail.com

4.1.48	Transparent Wound Dressing for Infection Control 10cmX24cm	Transparent, Waterproof , Bacteria Proof thin Polyurethane Film and Hypopolymers Wound Pad with free zones having soft acrylic adhesive. Stays in place for 14 days				
4.1.49	Transparent Wound Dressing for Infection Control 10cmX35cm	Transparent, Waterproof , Bacteria Proof thin Polyurethane Film and Hypopolymers Wound Pad with free zones having soft acrylic adhesive. Stays in place for 14 days				
4.1.50	Surgical Post Operative Dressing 8 cm X 15 cm	Innovative Surgical Post Operative Dressing coated with Proprietary Dialkylcarbamoyl chloride (DACCTM) technology impregnated acetate tissue with absorbent pad and transparent film border. Hydrophobic interaction irreversibly binds bacteria and fungi rendering them inactive preventing toxin release and replication. Binds 108 bacteria within 2 hours even virulent bacteria like MRSA and VRE. With this technology no known cytotoxicity, resistance and systemic absorption				
4.1.51	Surgical Post Operative Dressing 10 cm X 25 cm	Innovative Surgical Post Operative Dressing coated with Proprietary Dialkylcarbamoyl chloride (DACCTM) technology impregnated acetate tissue with absorbent pad and transparent film border. Hydrophobic interaction irreversibly binds bacteria and fungi rendering them inactive preventing toxin release and replication. Binds 108 bacteria within 2 hours even virulent bacteria like MRSA and VRE. With this technology no known cytotoxicity, resistance and systemic absorption				
4.1.52	Pre Padded Synthetic Splint 10cm x 40cm (Precut)	Pre Padded Single Inter Locked Knitted Slab of atleast 7 layers of Fiberglass, impregnated with Polyurethane Resin (Synthetic Substrate). Made with Inter Locking Performance(ILP Technology) for durable & Light weight splint with Double side padding.				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 *91-9863033404 / 9863048955
 meghmis@gmail.com

4.1.53	Pre Padded Synthetic Splint 12.5cm x 76cm (Precut)	Pre Padded Single Inter Locked knitted Slab of atleast 7 layers of Fiberglass, impregnated with Polyurethane Resin (Synthetic Substrate). Made with Inter Locking Performance(ILP Technology) for durable & Light weight splint with Double side padding.				
4.1.54	Elisio 13M	Dialyzer with Surface Area 1.3(Meter square) made up of Polysulfone Membrane, A symmetric membrane, openable Cap, Potting compound- polyurethane, KUF* (ml/h*mmHg)=12, Wall thickness/Lumen=40/200 ,Sterilization - Gamma, TMP Max. mmHg=600 with priming volume=79ml, Housing made up of polycarbonate.Removable Barcode Label				
4.1.55	Water Resistant Cast Padding 7.5cm x 2.4m (Padding)	Water resistant cast padding made up of POLYPROPYLENE, NYLON and POLYESTER combined fibre in a 3D knit.Open Knit structure allows water to drain quickly.				
4.1.56	Water Resistant Cast Padding 10cm x 2.4m (Padding)	Water resistant cast padding made up of POLYPROPYLENE, NYLON and POLYESTER combined fibre in a 3D knit.Open Knit structure allows water to drain quickly.				
4.1.57	Hydrogen Peroxide Canister 160pcs	1.4% w/v Hydrogen Peroxide & 0.01% w/v Silver Nitrate				
4.1.58	Polyster Cast (Rigid) 10cmx3.6m	Latex Free Poly Propylene (Polyster) Casting Tape, with 3 Dimensional Stretch ability, Finished Cast to be Moisture Resistant, Translucent, Lightweight, Strong, Porus.Working Time 0-3 min,Set Time 3-5min, weight bearing within 20min. Easily Removable with cast saw.				
4.1.59	Polyster Cast (Rigid) 12.5cmx3.6m	Latex Free Poly Propylene (Polyster) Casting Tape, with 3 Dimensional Stretch ability, Finished Cast to be Moisture Resistant, Translucent, Lightweight, Strong, Porus.Working Time 0-3 min,Set Time 3-5min, weight bearing within 20min. Easily Removable with cast saw.				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

4.1.60	DEHP Free Paediatric Measured Volume Set	Equipped with micro drip with reduced drop size to 60 drops/ml. Burette chamber capacity of 100ml and extra 10 ml overflow limit. Presence of floating auto shut valve. Kink resistance DEHP free tubing. High quality latex bulb for additional Medication & luer slip connector				
4.1.61	DEHP Free Measured Volume Set	Equipped with micro drip with reduced drop size to 60 drops/ml. Burette chamber capacity of 150 ml. Presence of floating auto shut valve. Kink resistance DEHP free tubing. 100% latex free set with Y injection port. Manufactured with USP Class VI approved PETG Material for infusion of all types of fluid. Sharp spike within built air inlet with microbial barrier filter. Roller type flow controller				
4.1.62	Pressure Infusion Bag	Heavy duty pressure cuff suitable upto 400mm of HG. Instant venting through 3way stop cock. Presence of Squeeze bulb for easy operation. Sterile individual packing. Robust pressure cuff for faster fluid transfer				
4.1.63	IV Infusion Kit	IV infusion Kit for easy access during emergency. Consists of Vented IV set. With 18/20/22 G IV Cannula. Consists of One cannula fixture. 5 or 10 ml disposable syringe for easy flashings. Presence of adhesive tape				
4.1.64	IV Extension Line with Syringe	IV Extension Line with Three Female Luer Lock. Needle Free Port at one End & Rotating Nut Male Luer Lock Port at other end with Luer Lock Syringe 5ml				
4.1.65	Blood Transfusion Kit	Blood administration Set Standard non-vented, Cannula, Fixator, Syringe, Alcohol Swab, Site Protection Tab				
4.1.68	Oxidized Regenerated Cellulose	4in x 4in (10.2 cm x 10.2 cm)				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrab, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 megjhmuls@gmail.com

		80 mm x 50 mm x 10 mm				
4.1.69	Absorbable Gelatin Sponge standard					
4.1.70	Wash Mitts 10Mitts / Pack					
4.1.71	Skin staplers applicator + remover Ergonomic design so that at application the tip is well The head should be angled.Made of 316 L SS pins with sharp cut edges.Loaded with 35 wide pins in a transparent housing. Centre indicator for alignment.Indicate if amenable to H2O2 plasma sterilization					
4.1.73	Medicated Tulle Gras Sterile Size 10 x 30cm Pouch					
4.1.74	Nanocrystalline Anti Microbial Silver Dressing 20cm x 20cm					
4.1.75	Nanocrystalline Anti Microbial Silver Dressing 40cm x 40cm					



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Department of Health & Family Welfare,
 DHS Complex, Laitumkhrab, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmids@gmail.com

		compatible with NPWT therapy, Effective against 150 Pathogens including MRSA, VRE.					
4.1.76	Universal Medical Devices Wipes 100pcs Pack	100g Solution contains : 17.4g Propan-2-ol, 12.6g ethanol (94% w/w)					
4.1.77	Bed Sore Prevention Kit	280cm(L), 90cm(W), 6.5cm(H)					
4.1.78	Sterile Absorbent Film Pad 15.5cm x 8.5cm	Adhesive film dressing with absorbent pad- sterile, moisture vapour transition rate (MVTR) of 11000gm/m square/24hr@37C , waterproof top layer, round corner reduces occurrence of lifting or snagging., bacterial barrier against bacteria including MRSA.					
4.1.79	Sterile Absorbent Film Pad 35cm x 10cm	Adhesive film dressing with absorbent pad- sterile, moisture vapour transition rate (MVTR) of 11000gm/m square/24hr@37C , waterproof top layer, round corner reduces occurrence of lifting or snagging., bacterial barrier against bacteria including MRSA.					
4.1.80	Transparent Vapour Permeable Adhesive Film Dressing Sterile 7cm x 9cm	Moisture responsive catheter dressing with Grid Pattern (Pattern – Spread acrylic adhesive),Moisture vapoure transition rate-3000 to 11000 gm/m ² , Rectic film, transparent, Pull & release removal technology.					
4.1.81	Transparent Vapour Permeable Adhesive Film Dressing Sterile 5cm x 6cm	Moisture responsive catheter dressing with Grid Pattern (Pattern – Spread acrylic adhesive),Moisture vapoure transition rate-3000 to 11000 gm/m ² , Rectic film, transparent, Pull & release removal technology.					
4.1.82	Incise Drapes Sterile 25m X 50cm	Antimicrobial sterile theatre incise drape containing iodine consists of polyurethane film, coated with hypoallergenic acrylic adhesive, impregnated with PVP iodine , laminated with silicon paper, absence of natural latex in the product or its packaging .					
4.1.83	Incise Drapes Sterile 30cm X 40cm	Antimicrobial sterile theatre incise drape containing iodine consists of polyurethane film, coated with hypoallergenic acrylic adhesive, impregnated with PVP					



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Latumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048945
 meghmds@gmail.com

4.1.84	Incise Drapes Sterile 35cm X 60cm	iodine , laminated with silicon paper, absence of natural latex in the product or its packaging . Antimicrobial sterile theatre incise drape containing iodine consists of polyurethane film, coated with hypoallergenic acrylic adhesive, impregnated with PVP iodine , laminated with silicon paper, absence of natural latex in the product or its packaging .						
9.1.103	Macro porus partially absorbable mesh made up of approximately equal parts of polypropylene monofilament fiber (6-0) and poliglecaprone 25 monofilament fiber (5-0) with pore size 2.7 mm having a weight of 39 g/m2 and containing blue orientation stripes of polypropylene 7.6X15cm							
9.1.104	Macro porus partially absorbable mesh made up of approximately equal parts of polypropylene monofilament fiber (6-0) and poliglecaprone 25 monofilament fiber (5-0) with pore size 2.7 mm having a weight of 39 g/m2 and containing blue orientation stripes of polypropylene 15X15cm							



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**

Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

9.1.106	Two-point absorbable Fixation device for Lap hernia repair. Trigger squeeze mechanical device with straight cannula, pre-loaded with 25 absorbable straps which are made of a blend of polydioxanone dyed with D&C Violet No. 2 and L(-)-Lactide/Glycolide copolymer. Inserted length of strap should be 6.7 mm					
9.1.121	Oxidized Regenerated Cellulose based topical absorbable hemostat in powder form designed to address broad surface / multiple site continuous oozing and achieve faster hemostasis, with proven bactericidal efficacy and being absorbed in 1 -2 weeks. Approved by USFDA, available as 3gm powder in a ready to use prefilled device					

Note:

1. All informations in the above format are mandatory and bidders are requested to furnish the same, failure to do so will result in disqualification.
2. Any misleading or incorrect information in the specified format will result in disqualification of the bidders, and action will be taken in accordance with the rules including blacklisting the bidder for a minimum period of 5 years.
3. If "Yes" is indicated in the aforementioned format, a supporting document for verification should be provided.

Approved By Shri Ramkumar S(Managing Director) on :
(The document is digitally approved and does not require any Seal or S



**MEGHALAYAN
MEDICAL DRUGS &
SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
DHS Complex, Laitumkhrah, New Colony,
Shillong - 793003,
East Khasi Hills,
Meghalaya - 793003
+91-96663033404 / 9863048955
meghm3@gmail.com

4. It is possible that a surgical with more than one indication appears in more than one. Hence, same rate should be across all same item.
5. The Annexure-II should be given in a pendrive as a soft copy.

FINANCIAL BID

Annexure – III



**MEGHALAYAN
MEDICAL DRUGS &
SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
DHS Complex, Laitumkhrab, New Colony,
Shillong - 793003,
East Khasi Hills,
Meghalaya - 793003
+91-9863033404 / 9863048555
meghmds@pmati.com

Item No.	Name of Items	Specifications	UNIT	Manufacturer Name	Basic Price/Unit (in INR) Per Unit in Figure) up to destination	GST Amount to be entered by the Bidder in (INR)	Total Cost/unit (4+5)	Total of Annexure – III/B column '15'	Overall rate of (6+7)
1	2		3		4	5	6	7	8
1.1.1	Surgical Mask	Must Be Three Ply(3-ply be>99%), Must conform with KEBS/ISO/CE Standards (Should conform BFE >/=95% . & Should conform Breathing resistance < 29.4 Pa/cm2), Microbial cleanliness (CFU/g); ≤ 30.	EACH						
1.1.2	Surgical Cap	Disposable, surgeon's Cap of PP non-woven + melt-blown + PP non-woven (25gsm), with back Elastic	EACH						
1.1.3	Corrugated Drainage Sheet	Sterile, 20x30cm. Disposable, Manufactured from non toxic, non irritant medical grade PVC. evaporation, 2~2. 5 Ltrs. / Hour,	EACH						
1.1.4	Aerosol Disinfectant	Optimum result use formilin, 10~12 ml / Ltr, should sterilize 250 cu. meters (9000 cu. ft.) in just 30-60 minutes.	EACH						



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghids@gmail.com

1.1.5	Vacuum Drainage Set FG10/12/14/16/18	With below Unit size 800ml, Connecting tube with clamp and "Y" connector	EACH				
1.1.6	Respirometer	3 stage chamber ,transparent body,can be dismantled into base & ventral part,containing three spheres with connecting tube & monthpiece	EACH				
1.1.7	Thoracic Trocar/Catheter	Cather of PVC medical grade fitted over frocar with blunt Smooth Tip and Large Drainage Eyes,Proximal end with Connector	EACH				
1.1.8	Water Seal Chest Drainage System	(1200ml) Single Chamber	EACH				
1.1.9	ET Tube 2mm, 2.5mm, 3mm, 3.5mm, 4.0mm, 4.5mm, 5.0mm, 5.5mm (uncuffed)	Made with a non-DEHP plasticizer that does not contain phthalates	EACH				
1.1.10	ET Tube 3.5mm, 4.0mm, 4.5mm, 5mm, 5.5mm, 6mm, 6.5mm, 7mm, 7.5mm, 8mm, 8.5mm, 9mm, 9.5mm, 10mm (cuffed)	Made with a non-DEHP plasticizer that does not contain phthalates, Distal tip reference lines and depth marks assist in proper placement	EACH				
1.1.11	Ryles Tubes Size 6FG, 8FG, 10FG, 12FG, 14FG, 16FG, 18FG, 20FG	The tube should be marked at 50, 60 and 70 cm from the tip for accurate placement, Made up of non-toxic, non-irritant and kink resistant medical grade PVC	EACH				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmdsi@gmail.com

1.1.12	Foley Catheter 2 Way Size 6 FG, 8FG, 10FG, 12FG, 14FG, 16FG, 18FG, 20FG, 22FG, 24FG,	Urethral catheter with balloon: Foley catheter 2-way with relatlon tip, Central channel for urinary drainage, straight rounded distal end with lateral eyes, proximal end with cup connector allowing catheter to be connected to urine bag, Side channel for inflating balloon, ending by a non-return valve with Luer tip connector, Diameter: CH10, Length: 20 - 30cm, Balloon capacity: 3 – 5ml	EACH				
1.1.13	Foley Catheter 3 Way Size 16 FG, 18FG, 20FG,, 22FG, 24FG,	Ballon Capacity 30-50ml	EACH				
1.1.14	Foley Catheter 3 Way Size 18 FG	Ballon Capacity 30-50ml	EACH				
1.1.15	Malecot Catheters 10Fr, 12Fr, 14Fr, 16Fr, 18Fr, 20Fr, 22Fr, 24Fr, 26Fr, 28Fr	Virgin natural rubber with good flexibility and biocompatibility	EACH				
1.1.16	Plain Rubber Catheters 3Fr, 4Fr, 5Fr, 6Fr, 8Fr, 10Fr, 12Fr, 14Fr,	Virgin Natural Rubber with Good Flexibility and Bio Compatability	EACH				
1.1.17	Urethral Dilators	Dialation dimention: 9/10/11/12/13/14/15/16mm or 8/10/12/14/16/18/20/22/24Fr, Length: 40cm	EACH				
1.1.18	Urethral Catheter 3F, 4F, 5F, 6F, 7F,	Round tip	EACH				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 megmds@gmail.com

1.1.19	Absorbent Cotton Wool 500gms Net	Material: 100% cotton surgical grade, purified, bleached, and carded.	EACH				
1.1.20	Cotton Absorbent Gauze Cloth 18Mtrs	ISI Mark. 31gm/sq mtrs (+/- 5gms). Warp 75 Wefts 55 Threads / 10cm	EACH				
1.1.21	SMMS Wrapping Sheet	It should be single use, good strength, light weight, soft, effective bacterial barrier, wet penetration resistant and suitable for steam, Latex free, fluid repellent property. Products thickness should be 50gsm. Bacterial filtration efficiency with test report, validation reports, Certificates, MSDS. Confirms with EN868-2 & CE marked 150cm*150cm	EACH				
1.1.22	Inflatable Unilateral Without Airway	It should be single use, good strength, light weight, soft, effective bacterial barrier, wet penetration resistant and suitable for steam, Latex free, fluid repellent property. Products thickness should be 50gsm. Bacterial filtration efficiency with test report, validation reports, Certificates, MSDS. Confirms with EN868-2 & CE marked.	EACH				
1.1.24	Infant Feeding Tube Size 4FG, 5FG, 6FG, 7FG, 8FG, 9FG, 10FG,	Smooth coned distal end for atraumatic intubation with two	EACH				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 191-9863033/404 / 9863048955
 meghmds@gmail.com

1.1.25	Suction Catherer 5FG, 6FG, 8FG, 10FG, 12FG, 14FG, 16FG, 18FG,	lateral eyes for efficient drainage with Marking at 5-40cm from tip.	EACH					
1.1.26	Intraosseous Needle for Paediatric	Single channel tube.Proximal end with cup connector, conical tip, allowing the tube to be connected to devices such as suction pump system. Open distal end, straight, with two side windows.	EACH					
1.1.27	Umbilical Catheter 3.5FG, 5FG, 5FG, 6FG, 8FG,	Material: non-toxic soft medical grade P.V.C. Markings at every cm to ascertain depth of insertion, radio opaque line ascertain position during scans	EACH					
1.1.28	Intercostal Drainage Catheter 12FG, 16FG, 20FG, 24FG, 28FG, 32FG, 36FG,	Distal end is open with super smooth larger eyes to maximize the drainage from the chest. Proximal end is fitted with specially designed tapered tongue.	EACH					
1.1.29	Impregnated CHG 4% Sponge & Brush		EACH					
1.1.30	BP Cuff with Rubber Bag Adult & Child	Child, Small, Medium & Large Composed of a cuff containing an inflatable bag of single tube.The cuff is made of durable material (e.g. nylon), which is non-deformable, and washable	EACH					



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya
 মগহলায় চৰকাৰ

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863032404 / 9863048955
 meghmds@gmail.com

1.1.31	BP Cuff with Rubber Bag Paediatric	at 30°C. The cuff is fitted with Velcro fastening, enabling a tight and secure fit around arms. The cuff is reinforced at both sides. Child, Small, Medium & Large Composed of a cuff containing an inflatable bag of single tube. The cuff is made of durable material (e.g. nylon), which is non-deformable, and washable at 30°C. The cuff is fitted with Velcro fastening, enabling a tight and secure fit around arms. The cuff is reinforced at both sides.	EACH					
1.1.32	Reinforced Interface Adherent	3 Mtrs	EACH					
1.1.33	Cold box, OP-1-31 lit	Cold Life: >30 hours at 2°C to 8°C in an ambient temperature of 43°C.	EACH					
1.1.34	Cold box, OP-1-28 lit	Cold Life: >30 hours at 2°C to 8°C in an ambient temperature of 43°C.	EACH					
1.1.35	Electric Steam Healer	Material: Virgin Polypropylene Regrind PP Power Consumption: 300w	EACH					
1.1.36	Overwrap Pad 50cm x 50cm		EACH					
1.1.37	Overwrap Pad 40cm x 40cm		EACH					



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Department of Health & Family Welfare,
 DHS Complex, Lalitumkhrab, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

Government of Meghalaya

1.1.38	Mucus Sucker/Extractor	Suction Tube lengths available: 40 & 50 cm. Suction Tube sizes: From 6FG to 14FG.	EACH					
1.1.39	Umbilical Cord Clamp	Disposable sterile umbilical cord clamp, safe, effective and easy to apply. Safe security lock, with a click to indicate correct locking, to protect against accidental re-opening after clamping	EACH					
1.1.40	Kehr's "T" Tube 12FG , 14FG , 16FG	Medical Grade PVC made siliconised "T" tube for Common Bile Duct drainage.	EACH					
1.1.41	Abdominal Drainage Kit 20FG , 24FG , 28FG	Soft abdominal drainage catheter with collection bag of 2000 ml. capacity. Available with DEHP Free Material.	EACH					
1.1.42	Under Water Seal Drainage System (Adult) (Child)	Leak proof bag of 1000 ml capacity for adult & 500ml for child. Bag & tubing (Length 100cm) is made up of PVC.	EACH					
1.1.43	Umbilical Cotton Tape		EACH					
1.1.44	Abdominal Sponge	Made by BP 17 Type Gauze Cloth. 24 Thread in Warp, 17Thread in Weft. 23 gms/m2 weight cloth. Good bleached finished and absorbent cloth	EACH					



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863034955
 meg@mdsl@gmail.com

1.1.45	Tetra Piece		EACH					
1.1.46	QAC Canister 20x15cm 100pcs		EACH					
1.1.47	Stretch Fixation Dressing	Hypo-allergenic polyacrylate adhesive adheres reliably. Transversely stretchable, Permeable to air and water vapour, Radiotransparent	EACH					
1.1.48	Cardiac Electrode	Hypoallergenic, latex free, non-irritating, disposable electrodes meets and meets all AAMI performance specifications.	EACH					
1.1.49	Mop Swabs		EACH					
1.1.50	Kelly's Pad	Disposable absorbent Under buttock drape with fluid collection pouch Packed in Medical Grade Pouch. Made of laminated LDPE high-quality materials.	EACH					
1.1.51	Oxygen flowmeter	Needle valve and body constructed of brass or aluminium. Calibrated at 50-55 psi / 345-380 kPa / 3.4-3.8 bar inlet gauge pressure. Certification : CE and ISO 13485:2003 Medical devices, ISO 15002	EACH					



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmdsl@gmail.com

1.1.53	Adhesive Plaster (7.5cm x 5m)	100% cotton fabric coated with zinc oxide/hot melt adhesive.	EACH				
1.1.54	Adhesive Plaster (10cm x 10m)	100% cotton fabric coated with zinc oxide/hot melt adhesive.	EACH				
1.1.55	Perforated Transparent Hypoallergenic Adhesive Tape	Non-woven fabric, coated with Hypo allergenic polyacrylic adhesive. Tape is in roll form. Fabric is flexible - white colour, porous and easy to tear.	EACH				
1.1.56	Cast Padding 10 cm X 3mtr	The cast padding is white colour, practically odorless. Its sinking time is not more than 10 sec/gg of viscoso pad and water holding capacity is not less than 18 sec/gg of viscoso pad.	EACH				
1.1.57	Cast Padding 15 cm X 3mtr	The cast padding is white colour, practically odorless. Its sinking time is not more than 10 sec/gg of viscoso pad and water holding capacity is not less than 18 sec/gg of viscoso pad.	EACH				
1.1.58	Plaster of Paris 10 cm X 2.7 mtr	Cotton cloth impregnated with dried calcium sulphate and suitable adhesive. The cotton cloth is gauze (Leno) weave in one continuous length containing no joints, bleached to a good white, clean and reasonably free from weaving defects, leaf and shell. The setting time is 115-155 seconds and the cast	EACH				

Approved By Shri Rangkumar S (Managing Director) on 5
 (The document is digitally approved and does not require any Seal or S



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**




Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863032404 / 9863048555
 meghmds@gmail.com

1.1.59	Plaster of Paris 15 cm X 2.7 mtr	strength is 852-1155 gm/gm of bandage.	Cotton cloth impregnated with dried calcium sulphate and suitable adhesive. The cotton cloth is gauze (Leno) weave in one continuous length containing no joints, bleached to a good white, clean and reasonably free from weaving defects, leaf and shell. The setting time is 115- 155 seconds and the cast strength is 852-1155 gm/gm of bandage.	EACH											
1.1.60	Crepe Bandages (7.5cm x 4m)	Cotton crepe bandage consists of characteristic fabric of plain weave. The warp threads are of two fold cotton threads with a count, after crepe twisting not finer than 45 tex, each containing not less than 17 folding turns per cm. The weft threads are of cotton, of viscose or of combined cotton and viscose yarn, with a count of not finer than 69 tex. The warp thread are arranged two threads S-twist and two threads Z-twist , repeated. The elasticity (percentage regain) is 45-70% (of fully stretched length)	EACH												



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

1.1.61	Crepe Bandages (5cm x 4m)	<p>EACH</p> <p>Cotton crepe bandage consists of characteristic fabric of plain weave. The warp threads are of two fold cotton threads with a count, after crepe twisting not finer than 45 tex, each containing not less than 17 folding turns per cm. The weft threads are of cotton, of viscose or of combined cotton and viscose yarn, with a count of not finer than 69 tex. The warp thread are arranged two threads S-twist and two threads Z-twist, repeated. The elasticity (percentage regain) is 45-70% (of fully stretched length)</p>				
1.1.62	Roll Bandage (4cmx 4m)	<p>EACH</p> <p>Elastic securing bandage for fixation. It is a conforming bandage with crimped structure of fabric to ensure a secure non-slip fixation. The bandage is made up of viscose(29%) and polyamide (29%) in warp and cotton (42%) in weft. Extensibility (%) stretch is not less than 125%</p>				
1.1.63	Roll Bandage (8cmx 4m)	<p>EACH</p> <p>Elastic securing bandage for fixation. It is a conforming bandage with crimped structure of fabric to ensure a secure non-slip fixation. The bandage is made up of viscose(29%) and</p>				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

Government of Meghalaya

1.1.64	Mackintosh	polymide (29%) in warp and cotton (42%) in weft. Extensibility (%) stretch is not less than 125%	EACH					
2.1.2	X-Ray intensifying screen	1. Made of : Rubber Mackintosh Sheet/Rubber Sheet / Rubber Mat / Hospital Sheet is made of high quality soft rubber. 2. Size : One Roll of 10 meters. 12" x 15", 8" x 10", 10" x 12" & 6.5" x 8.5"	EACH					
2.1.2	X-ray hanger stainless steel	12" x 15", 10" x 12", 8" x 10" & 6.5" x 8.5"	EACH					
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	Carestream Ascend DR Digital Detector (FOCUS 35C Detector for DR)	EACH					
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	14" x 17" Fuji Cassettes (FUJI FCR, FUJI IP Cassette – Type CC)	EACH					
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	10" x 12" Fuji Cassettes (FUJI FCR, FUJI IP Cassette – Type CC)	EACH					
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	8" x 10" Fuji Dry Pro Film (Model No: DI-HT)	EACH					
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	14" x 17" Fuji Dry Pro Film (Model No: DI-HT)	EACH					
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	8" x 10" Carestream Kodak Film Dryview DVE, Laser Imaging Film						



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

2.1.3	(Digital Radiography + Computed Radiography) X-RAY	14" x 17" Carestream Kodak Film Dryview DVE, Laser Imaging Film	EACH				
2.1.3	(Digital Radiography + Computed Radiography) X-RAY	X-Ray Thyroid Shield	EACH				
2.1.4	Dental Film	1. 0.175 mm thick polyester provided with a double-sided protective and antistatic layer. 2. Double-emulsion high speed non screen X-rayfilm (ISO Class E) with a high contrast and fine grain. 3. Size : Size 0: 22 mm x 35 mm or 7/8" x 1-3/8" Size 1: 24 mm x 40 mm or 15/16" x 1-9/16" Size 2: 30.5 mm x 40.5 mm or 1-1/4" x 1-5/8" 1. X-Ray Fixer pH: 8 2. Base Material: Photo Grade 3. Water Soluble. 4. Machine Dry to Dry Time Cycle: 120 sec 5. Processing Temperature: 25 deg cel 6. Processing specification: 4 min: 18 deg cel 3.5 min: 20 deg cel 3 min : 22 deg cel 2.5 min: 24 deg cel	EACH				
2.1.5	Dental X-Ray Developer						

Approved By Shri Ramkumar S(Managing Director) on ?
 (The document is digitally approved and does not require any Seal or



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghdmsl@gmail.com

		2 min: 26 deg cel 1.5 min: 28 deg cel.							
2.1.6	Dental X-Ray Fixer	<p>1. Composition : Sodium/ammonium thiosulfate (fixing agent), potassium alum (hardener), Sulfuric/acetic acid (Acidifier).</p> <p>2. Indicated for fixation of the radiographic image on x-ray film.</p> <p>3. Direction of use: 750ml water at 30° to 40° C in a glass or plastic vessel.Add the chemical of larger packet in it and stir well.Add the chemical of smaller packet to dissolve it completely.Add 250ml water (30° to 40° C) to make the solution 1 litre.</p>	EACH						
	CT SCAN	<p>14" X 17" Konica Dry Pro Imaging Film</p> <p>14" x 17" Kodak Dry view Laser Imaging Film</p> <p>Non-Ionic Water Soluble Contrast Media (Iohexol Injection USP) 100ml CT View 350</p> <p>Non-Ionic Water Soluble Contrast Media (Iodixanol Injection USP) 100ml</p> <p>Visipaque 320 mg Iodine/mL</p>	EACH EACH EACH EACH						
2.1.7									



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**




Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

		<p>durability of the thermal printing image is needed. This layer protects the thermal layer from water, oil, solvent, humidity, scratches, etc.</p> <p>5. The backcoat layer is applied for de-curling, antistatic electricity treatment, and back-barrier against adhesive.</p> <p>6. Size: Small POS terminal: 57mmx30mm, 57mmx38, 57mmx40mm, 57mmx50mm, 2 1/4x50ft Thermal printer: 80mmx80mm, 80mmx70mm, 80mmx60mm, 76mmx76mm, 110mmx100mm, 3 1/8x200ft, 3 1/8x230ft</p>	EACH						
2.1.10	Computersied Radiographic Films Konica	14 x 17 & 10' x 12'	EACH						
2.1.10	Computersied Radiographic Cassette Konica	14 x 17 & 10' x 12'	EACH						
2.1.10	Computersied Radiographic X-Ray intensifying screen	14 x 17 & 10' x 12'	EACH						
2.1.10	For CONVENTIONAL RADIOGRAPHIC MACHINE	10" x 12" Film, 6" x 8" Film, 12" x 15" Film & 8" x 10" Film	EACH						



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya
 পৰ্ব্বত গৱেষণা

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

4.1.1	Scalp vein set	18G-25G	EACH				
4.1.2	I.V. Cannula with Port 18G, 20G, 22G	with 4 radio opaque x-ray line	EACH				
4.1.3	I.V. Cannula with Port 24G	with 4 radio opaque x-ray line	EACH				
4.1.4	I.V. Cannula without port 24G , 26G	with 4 radio opaque x-ray line	EACH				
4.1.5	Sterile Surgical Gloves Powdered - Size 6 , 6.5 , 7, 7.5	Sterile Latex Surgical Gloves Powdered; ISI/CE marked, Sterilized by ETO; Thickness Minimum 0.1mm.Safety: EN 455 part 1-4	EACH				
4.1.6	Sterile Surgical Gloves Powder Free - Size 6 , 6.5 , 7, 7.5	Superior quality granular surface powder free polymer coated non allergenic latex rubber surgical Gloves. ISI/CE marked. Sterilized by ETO. Non Chlorinated.	EACH				
4.1.7	Sterile Surgical Gloves Gynaecology (Elbow Length) Powder Free	Sterile Latex Gynaecological Gloves Powder Free; ISO 13485 : 2016 ; Length 450mm. Thickness Minimum 0.1mm.	EACH				
4.1.8	Non-Sterile Examination Gloves Nitrile - Powder Free Size : Small , Medium , Large 100pcs/box	Powder Free. Latex Free. Coloured Gloves. Thickness 0.07mm and above.	EACH				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**




Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863032404 / 9863048955
 meghmds@gmail.com

4.1.9	Micro Drip Infusion Set	Micro drip set with reduced drop size to 60 drops/ml. Nontoxic, clear transparent PVC material. 15 micron disc type fluid filter. In built preventive bacterial air vent. Presence of Y type injection port, Tube length 150 cm. Secure luer lock for better fitment	EACH					
4.1.10	Uro Bag	Urine Collection bag, upper outlet Adult/paed made of soft chemical grade PVC sheetup, & kink resistant 90cm tube & tapered connector	EACH					
4.1.11	Infusion set	Non-vented I.V set model from non-toxic PVC material soft & kink resistant of standard tube length 150cms microfilter in deep Chamber +21G needle sharp spike for Piercing i.v Container	EACH					
4.1.13	Disposable Insulin Syringe 1ml with Needle	Single Use Hypodermic Sterile Insulin Syringe. Interior of each syringe is Sterile unless	EACH					
4.1.14	Disposable Luer Slip Syringe 1ml with Needle	medical grade plastic (Polyethylene (PE)/ polypropylene (PP)/ polystyrene (PS). Sterile, (ethylene oxide sterilization and complies to ISO 11135:2019). Product and packaging conform	EACH					



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Department of Health & Family Welfare,
 DHS Complex, Lahtumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 megmmdl@gmail.com

		to ISO 7886-1:2017, ISO 11135:2019.							
4.1.15	Disposable Luer Slip Syringe 2ml with Needle			EACH					
4.1.16	Disposable Luer Slip Syringe 5ml with Needle			EACH					
4.1.17	Disposable Luer Slip Syringe 10ml with Needle			EACH					
4.1.18	Disposable Luer Slip Syringe 20ml with Needle			EACH					
4.1.19	Disposable Luer Slip Syringe 50ml without Needle			EACH					
4.1.20	Disposable Luer Lock Syringe 2ml with Needle			EACH					
4.1.21	Disposable Luer Lock Syringe 5ml with Needle			EACH					
4.1.22	Disposable Luer Lock Syringe 10ml with Needle			EACH					
4.1.23	PVC Systems			EACH					
4.1.24	Disposable Needle 16G , 18G , 20G, 21G, 22G , 23G, 24G, 26G		Made with non-toxic, medical grade Polypropylene compatible with injectable. ISO/CE certification.	EACH					



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**




Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrab, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

4.1.27	Transparent Film 5cm x 10mtrs	Waterproof and a barrier to bacteria. Its high moisture vapour permeability allows the skin to breathe. The acrylic adhesive minimises the risk of skin damage on removal, especially after long periods of wear 5cmx10mtr	EACH					
4.1.29	Oxygen Mask	Oxygen mask with nose clip and star lumen tube	EACH					
4.1.30	Twin Bore Nasal Oxygen Cannula	Length of the oxygen tube: +/-2 m. Material: Preferably soft and kink resistant polyvinyl chloride (PVC). Set a flow rate of 1-2 l/min (0.5 l/min for young infants) to deliver an inspired oxygen concentration of 30-35%.	EACH					
4.1.31	Safety AV Fistula Needles	Fixed wings & safety guard to prevent Needle Stick Injuries	EACH					
4.1.32	Oncology Set	Specialised chemotherapy set. Integrated 0.2 micron filter to ensure filtration of microbes. Presence of needle free Y injection port. Luer lock connector. Compatible with all infusion pumps	EACH					
4.1.33	Photosensitive Drugs Set	I.V.Infusion Set for Photosensitive Drugs(Amber Colour), DEHP free tubing, special priming filter ensures	EACH					



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya
 মগলয়ৰ চৰকাৰ

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863032404 / 9863048955
 meghmids@gmail.com

4.1.34	Blood Lines	<p>that the line fills automatically (auto prime) thus maintains closed system until connected</p> <p>Soft & Kink resistant tubing available in pre pump & post pump configuration</p> <p>Assuring Compatibility with Most Types of Hemodialysis Machines. Bloodline Tube : Medical grade PVC tube (TOTM is available). Injection Site : Large finger guard. Drip Chamber : Available various diameter sizes. Clamp : Clamps to secure blocking performance. Recirculation Connector : The simplicity and safety for priming operation. Sterilization : ETO / Steam / Gamma</p>	EACH					
4.1.35	Blood Transfusion Services (BTS)	<p>Core-to-tip design providing a 1:1 torque ratio. A nitinol alloy core for optimal performance and kink resistance. Shape retention for consistent reliability throughout a procedure. Tungsten-infused polyurethane jacket provides superior tip and wire radiopacity.</p> <p>Dimention : Diameter 0.018", Angled Tip Shape , Total length: 80/150/180/260 cm. Diameter 0.018", Straight Tip</p>	EACH					
4.1.36	Gudewire							



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863032404 / 9863048955
 meghmds@gmail.com

		<p>Shape, Total Length: 150/180/260 cm. Diameter 0.025", Straight/Angled Tip Shape, Total Length: 150/180/260 cm. Diameter 0.032", Straight/Angled Tip Shape, Total Length: 150 cm. Diameter 0.035", Straight Tip Shape, Total Length: 150/180/260 cm. Diameter 0.035", Angled Tip Shape, Total Length: 80/120/150/180/260 cm. Diameter 0.038", Angled Tip Shape, Total Length: 80/120/150/180/260 cm. Diameter 0.038", Straight Tip Shape, Total Length: 150/180/260 cm. Type of Guidewire: Standard/Stiff/Long Taper/1 cm Taper/J-Tip/</p>				
4.1.37	Introducer Needle	<p>Tapered hub inner diameter facilitates insertion of the guide wire smoothly. Length- 45mm Size 14 guaze, 18G.</p>	EACH			
4.1.38	Transducer Protector	<p>Excellent filter with blood blocking performance. 0.1µm filter for viral blocking. Sterilization : ETO</p>	EACH			



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Department of Health & Family Welfare,
 DHS Complex, Lallumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 megjmds@gmail.com

4.1.39	Administration Set for Blood Tubing Set	Easy to use for priming and rinse back. Kink free and clear tube	EACH				
4.1.40	Hemodialysis Catheter (Double Lumen) 11.5 Fr, 12Fr Straight,	Double Lumen Dialysis Catheter made up of bio compatible polyurethane material with soft & beveled tip,soft flexible J tip guide wire size 0.035 x50 with dispenser .Size 11.5 FR (straight)12.5-13/15/20 cm , 2 dilators 12 FR & 10 FR.injection cap, radio opeque catheter with clear and definite markings , long handle scalpel	EACH				
4.1.42	Sterile Single use Scalpel	Stainless steel surgical blades mounted on ABS plastic handle with fluted finger grips and the blades are safely protected by LDPE guard . ISO/CE/ISI Certified	EACH				
4.1.43	Retractable Scalpel	Retractable safety sheath covers blade to prevent injury. ABS plastic handles for firm grip. Stainless-Steel Blade. ISO/CE,ISI Certified	EACH				
4.1.44	Low-Adherent Absorbent Polyester Sterile 10cm c 20cm	A polyester wound contact layer,A cotton central viscose high absorbent layer & ouuter hydrophobic capacity on a weight fot weight basis.highly conformable and can be cut to shape.provides cushioning & conform for patient.	EACH				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

4.1.45	Low-Adherent Absorbent Polyester Sterile 50cm x 7m	A polyester wound contact layer,A cotton central viscose high absorbent layer & outer hydrophobic capacity on a weight for weight basis.highly conformable and can be cut to shape.provides cushioning & conform for patient.	EACH					
4.1.46	Precision Infusion Set	IV set with flow controller. Wide dial operates as thumb wheel like roller clamp. Presence of security door prevents accidental change of flow rates. Reliable ergonomic set. Presence of Y type injection port	EACH					
4.1.47	Transparent Wound Dressing for Infection Control 5cmX7cm	Transparent, Waterproof, Bacteria Proof thin Polyurethane Film and Hydropolymers Wound Pad with free zones having soft acrylic adhesive. Stays in place for 14 days	EACH					
4.1.48	Transparent Wound Dressing for Infection Control 10cmX24cm	Transparent, Waterproof, Bacteria Proof thin Polyurethane Film and Hydropolymers Wound Pad with free zones having soft acrylic adhesive. Stays in place for 14 days	EACH					
4.1.49	Transparent Wound Dressing for Infection Control 10cmX35cm	Transparent, Waterproof, Bacteria Proof thin Polyurethane Film and Hydropolymers Wound Pad with free zones having soft acrylic adhesive. Stays in place for 14 days	EACH					



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

<p>4.1.50</p>	<p>Surgical Post Operative Dressing 8 cm X 15 cm</p>	<p>Innovative Surgical Post Operative Dressing coated with Proprietary Dialkylcarbamoyl chloride (DACCTM) technology impregnated acetate tissue with absorbent pad and transparent film border. Hydrophobic interaction irreversibly binds bacteria and fungi rendering them inactive preventing toxin release and replication. Binds 108 bacteria within 2 hours even virulent bacteria like MRSA and VRE. With this technology no known cytotoxicity, resistance and systemic absorption</p>	<p>EACH</p>			
<p>4.1.51</p>	<p>Surgical Post Operative Dressing 10 cm X 25 cm</p>	<p>Innovative Surgical Post Operative Dressing coated with Proprietary Dialkylcarbamoyl chloride (DACCTM) technology impregnated acetate tissue with absorbent pad and transparent film border. Hydrophobic interaction irreversibly binds bacteria and fungi rendering them inactive preventing toxin release and replication. Binds 108 bacteria within 2 hours even virulent bacteria like MRSA and VRE. With this technology no known cytotoxicity, resistance and systemic absorption</p>	<p>EACH</p>			

Approved By: Shri Ramkumar S (Managing Director) on 7
 (The document is digitally approved and does not require any Seal or



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**




Department of Health & Family Welfare,
 DHS Complex, Lalthumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmuds@gmail.com

4.1.52	Pre Padded Synthetic Splint 10cm x 40cm (Precut)	Pre Padded Single Inter Locked knitted Slab of atleast 7 layers of Fiberglass, impregnated with Polyurethane Resin (Synthetic Substrate). Made with Inter Locking Performance(ILP Technology) for durable & Light weight splint with Double side padding.	EACH						
4.1.53	Pre Padded Synthetic Splint 12.5cm x 76cm (Precut)	Pre Padded Single Inter Locked knitted Slab of atleast 7 layers of Fiberglass, impregnated with Polyurethane Resin (Synthetic Substrate). Made with Inter Locking Performance(ILP Technology) for durable & Light weight splint with Double side padding.	EACH						
4.1.54	Elisio 13M	Dialyzer with Surface Area 1.3(Meter square) made up of Polysulfone Membrane, A symmetric membrane, openable Cap, Potting compound-polyurethane, KUF* (ml/h*mmHg)=12, Wall thickness/Lumen=40/200 ,Sterilization - Gamma, TMP Max. mmHg=600 with priming volume=79ml, Housing made up of polycarbonate.Removable Barcode Label	EACH						



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmdsl@gmail.com

4.1.55	Water Resistant Cast Padding 7.5cm x 2.4m (Padding)	Water resistant cast padding made up of POLYPROPYLENE, NYLON and POLYESTER combined fibre in a 3D knit.Open Knit structure allows water to drain quickly.	EACH				
4.1.56	Water Resistant Cast Padding 10cm x 2.4m (Padding)	Water resistant cast padding made up of POLYPROPYLENE, NYLON and POLYESTER combined fibre in a 3D knit.Open Knit structure allows water to drain quickly.	EACH				
4.1.57	Hydrogen Peroxide Canister 160pcs	1.4% w/v Hydrogen Peroxide & 0.01% w/v Silver Nitrate	EACH				
4.1.58	Polyester Cast (Rigid) 10cmx3.6m	Latex Free Poly Propylene (Polyester) Casting Tape, with 3 Dimensional Stretch ability. Finished Cast to be Moisture Resistant, Translucent, Lightweight, Strong, Porus.Working Time 0-3 min,Set Time 3-5min, weight bearing within 20min. Easily Removable with cast saw.	EACH				
4.1.59	Polyester Cast (Rigid) 12.5cmx3.6m	Latex Free Poly Propylene (Polyester) Casting Tape, with 3 Dimensional Stretch ability. Finished Cast to be Moisture Resistant, Translucent, Lightweight, Strong, Porus.Working Time 0-3 min,Set Time 3-5min, weight bearing	EACH				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

Government of Meghalaya

4.1.60	DEHP Free Paediatric Measured Volume Set	within 20min. Easily Removable with cast saw. Equipped with micro drip with reduced drop size to 60 drops/ml. Burette chamber capacity of 100ml and extra 10 ml overflow limit. Presence of floating auto shut valve. Kink resistance DEHP free tubing. High quality latex bulb for additional Medication & luer slipp connector	EACH				
4.1.61	DEHP Free Measured Volume Set	Equipped with micro drip with reduced drop size to 60 drops/ml. Burette chamber capacity of 150 ml. Presence of floating auto shut valve. Kink resistance DEHP free tubing. 100% latex free set with Y injection port. Manufactured with USP Class VI approved PETG Material for infusion of all types of fluid. Sharp spike within built air inlet with microbial barrier filter. Roller type flow controller	EACH				
4.1.62	Pressure Infusion Bag	Heavy duty pressure cuff suitable upto 400mm of HG. Instant venting through 3way stop cock. Presence of Squeeze bulb for easy operation. Sterile individual packing. Robust	EACH				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmtds@gmail.com

	application the tip is well The head should be angled.Made of 316 L SS pins with sharp cut edges.Loaded with 35 wide pins in a transparent housing. Centre indicator for alignment.Indicate if amenable to H2O2 plasma sterilization								
4.1.73	Medicated Tulle Gras Sterile Size 10 x 30cm Pouch	Sterile medicated paraffin tulle gras dressing made from open weave leno gauze, Impregnated with soft paraffin containing 0.5% chlorhexidine acetate BP. Effective against a wide range of gram positive and some negative organisms including MRSA.	EACH						
4.1.74	Nanocrystalline Anti Microbial Silver Dressing 20cm x 20cm	Nano crystalline silver with Silicyst technology , sustained release of silver for 7 days, polyester mesh with an open weave structure, low adherent wound contact layer, flexible with stretch properties, compatible with NPWT therapy, Effective against 150 Pathogens including MRSA, VRE. Size-	EACH						
4.1.75	Nanocrystalline Anti Microbial Silver Dressing 40cm x 40cm	Nano crystalline silver with Silicyst technology , sustained release of silver for 7 days, polyester mesh with an open	EACH						



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 nreghmds@gmail.com

Government of Meghalaya

4.1.76	Universal Medical Devices Wipes 100pcs Pack	weave structure, low adherent wound contact layer, flexible with stretch properties, compatible with NPWT therapy. Effective against 150 Pathogens including MRSA, VRE.	EACH					
4.1.77	Bed Sore Prevention Kit	100g Solution contains : 17.4g Propan-2-ol, 12.6g ethanol (94% w/w)	EACH					
4.1.78	Sterile Absorbent Film Pad 15.5cm x 8.5cm	280cm(L), 90cm(W), 6.5cm(H) Adhesive film dressing with absorbent pad- sterile, moisture vapour transition rate (MVTR) of 11000gm/m square/24hr@37C, waterproof top layer, round corner reduces occurrence of lifting or snagging., bacterial barrier against bacteria including MRSA.	EACH					
4.1.79	Sterile Absorbent Film Pad 35cm x 10cm	Adhesive film dressing with absorbent pad- sterile, moisture vapour transition rate (MVTR) of 11000gm/m square/24hr@37C, waterproof top layer, round corner reduces occurrence of lifting or snagging., bacterial barrier against bacteria including MRSA.	EACH					
4.1.80	Transparent Vapour Permeable Adhesive Film	Moisture responsive catheter dressing with Grid Pattern (Pattern – Spread acrylic	EACH					



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya
 Shillong - 793003
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmids@gmail.com

Department of Health & Family Welfare,
 DHS Complex, Laltumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmids@gmail.com

4.1.81	Dressing Sterile 7cm x 9cm Transparent Vapour Permeable Adhesive Film Dressing Sterile 5cm x 6cm	adhesive), Moisture vapour transission rate-3000 to 11000 gm/m ² , Rectic film, transparent, Pull & release removal technology. Moisture responsive catheter dressing with Grid Pattern (Pattern – Spread acrylic adhesive), Moisture vapour transission rate-3000 to 11000 gm/m ² , Rectic film, transparent, Pull & release removal technology.	EACH				
4.1.82	Incise Drapes Sterile 25m X 50cm	Antimicrobial sterile theatre incise drape containing iodine consists of polyurethane film, coated with hypoallergenic acrylic adhesive, impregnated with PVp iodine , laminated with silicon paper, absence of natural latex in the product or its packaging .	EACH				
4.1.83	Incise Drapes Sterile 30cm X 40cm	Antimicrobial sterile theatre incise drape containing iodine consists of polyurethane film, coated with hypoallergenic acrylic adhesive, impregnated with PVp iodine , laminated with silicon paper, absence of natural latex in the product or its packaging .	EACH				



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

4.1.84	Incise Drapes Sterile 35cm X 60cm	Antimicrobial sterile theatre incise drape containing iodine consists of polyurethane film, coated with hypoallergenic acrylic adhesive, impregnated with PVP iodine , laminated with silicon paper, absence of natural latex in the product or its packaging .	EACH						
9.1.103	Macro porus partially absorbable mesh made up of approximately equal parts of polypropylene monofilament fiber (6-0) and polyglecaprone 25 monofilament fiber (5-0) with pore size 2.7 mm having a weight of 39 g/m2 and containing blue orientation stripes of polypropylene 7.6X15cm		EACH						
9.1.104	Macro porus partially absorbable mesh made up of approximately equal parts of polypropylene monofilament fiber (6-0) and polyglecaprone 25 monofilament fiber (5-0) with pore size 2.7 mm having a weight of 39 g/m2 and containing blue		EACH						



**MEGHALAYAN
 MEDICAL DRUGS &
 SERVICES LIMITED**



Government of Meghalaya

Department of Health & Family Welfare,
 DHS Complex, Laitumkhrah, New Colony,
 Shillong - 793003,
 East Khasi Hills,
 Meghalaya - 793003
 +91-9863033404 / 9863048955
 meghmds@gmail.com

9.1.106	<p>orientation stripes of polypropylene 15X15cm</p> <p>Two-point absorbable Fixation device for Lap hernia repair. Trigger squeeze mechanical device with straight cannula, pre-loaded with 25 absorbable straps which are made of a blend of polydioxanone dyed with D&C Violet No. 2 and L(-)-lactide/Glycolide copolymer. Inserted length of strap should be 6.7 mm</p>	EACH						
9.1.121	<p>Oxidized Regenerated Cellulose based topical absorbable hemostat in powder form designed to address broad surface / multiple site continuous oozing and achieve faster hemostasis, with proven bactericidal efficacy and being absorbed in 1 -2 weeks. Approved by USFDA, available as 3gm powder in a ready to use prefilled device</p>	EACH						



MEGHALAYAN MEDICAL DRUGS & SERVICES LIMITED



Department of Health & Family Welfare,
DHS Complex, Laitumkhrah, New Colony,
Shillong - 793003,
East Khasi Hills,
Meghalaya - 793003,
+91-9863033404 / 9863048955
meghmds@gmail.com

Note :

1. The rates should be inclusive of everything viz. Freight, Packing, Forwarding, Insurance, Transportation, loading/unloading, GST etc up to destination as specified in page no.4 clause 3(a) under Term of delivery and free of Cost Consumables or Accessories required to be supplied by the Tenderer with the goods as per requirement of consumables items indicated in the Annexure-I against each items (if applicable) for make operational goods at the Client site needs to be supplied on free of cost by the Bidder.
2. *The Excise Duty/Custom Duty, Custom Clearance Charges, Agency Commission etc. wherever applicable, should be inclusive in the above Financial Bid.
3. The Rates quoted against each items on the Tender shall be without cutting, tampering and a Transparent Tape should be applied on the Quoted Rates.
4. Rates Quoted should be typed and free from Fluiding, Cutting and Overwriting. No hand written quotations will be accepted.
5. The authority will make procurement for all items or for selected items based on requirement and the availability of budget. Decision of the authority in this matter is final
6. It is possible that a surgical with more than one indication appears in more than one. Hence, same rate should be across all same item.
7. The Annexure-III should be given in a pendrive as a soft copy.

Name(s) & Signature of Authorized person of the Tenderer with Designation & Office Seal

Name of the Firm

Date.....

Place.....



Annexure-IV

LETTER OF UNDERTAKING

To,
The Managing Director
MMDSL
Shillong, Meghalaya

Tender No:
Tender Date:
For:

Sir / Madam,

1. I, Shri
_____ on behalf of _____
_____ having its registered office
at _____ and its branch office at _____

do hereby declare to comply with all the Terms and Conditions as specified in the NIT. The Rates quoted by me / us are valid and binding on me / us for acceptance for a period of one year from the date of award of contract to us.

2. We agree to the conditions of the tender under which the Earnest Money Deposit shall be forfeited by us.
3. The tender inviting authority has the right to accept or reject any or all the Tenders without assigning any reason thereof.
4. We understand all the Terms and Conditions of the Contract and bind myself / ourselves to abide by them.
5. I hereby furnish the following details as specified by the NIT:

FIRM DETAILS	Firm Name	
	Proprietorship / Entrepreneurship / Holding Company, Partnership Firm	
	Name of Proprietor / Director / CEO / Others	
	Address	
	Telephone Number	
	Fax Number	
	Mobile Number	
	Email Id	
Bank Name		

6. We hereby declare that as per the attached Affidavit, there is no vigilance / CBI or Court Case pending /Contemplated against us at the moment.
7. All information provided is True & Accurate. If at any time it is found that any information provided is proven false, I agree to the Cancellation / Termination of the Tender / Agreement leading up to blacklisting of the said firm under the Government of Meghalaya for a period of three years.

SIGNATURE
NAME & ADDRESS OF BIDDER
DATE

Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



Annexure-V

BID SECURITY FORM

Whereas (hereinafter called "the Bidder") has submitted its bid dated.....for the supply of vide Tender No..... dated..... KNOW ALL MEN by these presents that WE having our office at (hereinafter called "the Bidder") are bound unto Meghalayan Medical Drugs & Services Limited (hereinafter called "the Purchaser") the sum of Rs..... vide DD no..... for which payment will and truly to be made of the said Purchaser, the Bidders binds itself, its successors and assigns by these present.

THE CONDITIONS of the obligation are:

1. If the Bidder withdraws his bid during the period of bid validity specified by the Bidder on the Bid form OR
2. If the Bidder, having been notified of the acceptance of his bid by the Purchaser during the period of bid validity
 - a) fails or refuses to execute the Contract, if required; or
 - b) fails or refuses to furnish the Performance Security, in accordance with the instructions to Bidders.

We undertake to pay to the Purchaser up to the above amount upon receipt of its first written demand, without the purchaser having to substantiate its demand, provided that in its demand, the purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force as to the bidders of the Bid Document up to and including Ninety (200) days from date of opening the Tender and any demand in respect thereof should reach the Bidder not later than date to be specified.

Signature of the Bidder.
Name
Signed in Capacity of
Full address of Office
Tel No. of Office

Approved By Shri Ramkumar S.(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



Annexure-VI

PERFORMANCE SECURITY BOND FORM

.....(Insert: Bank's Name and Address of Issuing Branch or Office)

Beneficiary: (Insert: name and Address of Purchaser or Meghalayan Medical Drugs & Services Limited, here in after called the MMDSL)

Date:

PERFORMANCE GUARANTEE No:

We have been informed that (insert: name of Supplier) has entered into Contract No. (Insert: reference no of the contract) dated With you, for the supply of (insert: description of goods).

Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.

At the request of the Supplier, we (insert: name of bank) hereby irrevocably undertake to pay you a sum or sums not exceeding in total an amount of (insert: amount in figures) (.....) (insert: amount in words) upon receipt by us of your first demand in writing accompanied by a written statement stating that the supplier is in breach of its obligation(s) under the Contract, without your needing to prove or to show grounds for your demand or the sum specified therein.

This guarantee shall expire no later than the Day of, 2....., **and any demand for payment under it must be received by us at this office on or before that date.

** The guarantor agrees to extension of this guarantee for a further period in response to the purchaser's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.

Dated: _____

For _____
(Indicating the name of the Bank)

N.B. This guarantee should be issued on non-judicial stamped paper, stamped in accordance with the stamp act

Approved By Shri Ramkumar S(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



Annexure VII

ANNUAL TURNOVER STATEMENT OF THE BIDDER

- a) Name of the firm _____
- b) Address _____
- c) Annual turnover for the last three years _____
(In Indian Rupees)

Financial Year	Turnover (Rs. in Lakh)	Supporting documents certified by Chartered Accountant
2021-2022		Attached/Not Attached
2022-2023		Attached/Not Attached
2023-2024		Attached/Not Attached

Seal & Signature of Chartered
Accountant / Auditor
Date:

Approved By Shri Ramkumar S.(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

N.B. This statement should be issued on a Charter Account's letter head



Analytical Report Regarding Quality

Name of Supplier:-						
Address:-						
PO No:-			Date:-			
Drug Name:-						
Details of test report:-						
Sl.no.	Name of approved NABL Lab.	Test report No. (enclosed)	Date	Batch No	Qty. Supplied	Result
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						

Approved By Shri Ramkumar S.(Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)



MEGHALAYAN MEDICAL DRUGS & SERVICES LIMITED



Government of Meghalaya

Department of Health & Family Welfare,
DHS Complex, Laitumkhrah, New Colony,
Shillong - 793003,
East Khasi Hills,
Meghalaya - 793003
+91-9863033404 / 9863048955
meghmdsl@gmail.com

Checklist

Sl No	Particulars	Yes/No	Page No.
1	Sealed Envelope		
2	Tender Fee		
3	Ownership Details (Partnership deed / Letter of ownership / Memorandum of Association)		
4	Certificate of Registration of GST registration/Sales Tax		
5	Trading License issued by KHADC / GHADC / JHADC for Non Tribal Firm.		
6	Schedule Caste / Schedule Tribe Certificate for Tribal Firms		
7	Last GST return filing		
8	Up to date Professional Tax Clearance Certificate issued by KHADC/JHADC/GHADC		
9	Permanent Account Number (PAN) Card of the firm or of the person in whose name the Proprietorship, Partnership, Firm etc is registered under.		
10	Valid Drug License issued by the concern authority		
11	Court Fee Stamp (Rs. 25/-)		
12	Cancelled Cheque of the Firm clearly indicating Bank Name, Branch, Account Number, IFSC.		
13	An Affidavit on a Non Judicial Stamp Paper of Rs. 10/-, attested by a Notary Public (In Original) that there is no vigilance / CBI Case or arbitration cases pending with the Government of Meghalaya against the Firm/Supplier that the Proprietor /Director/Members of the Board of Directors of the Bidder and the Principal Manufacturer on whose behalf they have quoted has never been blacklisted by any Institution (Government or Public).		
14	Self Attested copy of the Tender Document purchased from the department or Downloaded from the website.		
15	GMP Certificate		
16	Security Bid (EMD) in the form of a Crossed Demand Draft issued by a Schedule Bank / Commercial Bank drawn in favor of Managing Director, MMDSL, Meghalaya payable at Shillong (Refundable) carrying no form of interest on it.		
17	Valid Authorization letters from the Manufacturer (in case of trading partners) for Supply & Participation in Tender.		
18	Company/Firm Registration Certificate		
19	Detail Specification Annexure-I		
20	Technical bid Annexure-II		
21	Financial Bid Format Annexure-III		
22	Letter of Undertaking Annexure -IV		
23	Bid Security Annexure -V		
24	Performance Security-VI		
25	Annual Turnover-VII		
26	Minimum 3numbers (each year) of customer feedback or supply order of similar work/goods from Central/State Govt. Dept/ PSU or Private Limited Company completed within last three years, failing which bidders will be disqualified. The customer feedback or supply order as indicated above should be in the name of the firm participating in the tender.		
27	Any other terms and conditions as specified in the NIT document		

Approved By Shri Ramkumar S (Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and signed by the Managing Director)

***Note:(√ or X) in 'Yes/No' column respectively.**

**SIGNATURE
NAME & ADDRESS OF BIDDER
DATE**



No. MMDSL/Consumable/11/2024/

Dated Shillong the

NOTICE INVITING TENDER

Meghalayan Medical Drugs & Services Limited (MMDSL), is inviting Tender from the interested bidders for Supply of Surgical items. The details of specification, Terms and conditions, etc. can be downloaded from <https://mmdsl.in/>

Sale of Notice Inviting Tender (NIT) Document:

Date for downloading/obtaining the Tender Documents: 21st/Dec/2024

Last date for submission of NIT Document: 28th/Dec/2024 up to 11:00am

Tender opening date : 28th/Jan/2025 at 1:00pm

Any changes or any further notifications in respect to the above Notice Inviting Tender (NIT) Document shall be made available only at the above mentioned website. Hence respective bidders are advised to visit the website regularly for the above purpose.

For any query Contact: State Manager

Contact no: +917005662189

Approved By Shri Ramkumar S (Managing Director) on 20/12/2024 10:15 AM
(The document is digitally approved and does not require any Seal or Signature in original)

**Sd/-
Managing Director, MMDSL
Meghalaya, Shillong.**